VOLUME 7

SUBJECT INDEX

A

Ab initio calculations, phosphine azides, 223
Accelerated ageing, nickel tungsten sulphide, 2405
Acetates and acetato complexes
  cobalt(II), 43
  copper(II), 43,1745
  molybdenum(II), 107,1279,2201
  nickel(II), 43
  ruthenium(II), 1239
  ruthenium(II,III), 2597
  zinc, 43
Acetone complexes
  chromium(0), 1619
  ruthenium(II,III), 1453
Acetonesemicarbazone complexes
  molybdenum(II), 1719
Acetonitrile complexes
  chromium(0), 673,1619
  copper(I), 37,161
  holmium, 641
  iridium(III), 1285
  molybdenum(II), 1453,2615
  niobium(V), 2217
  palladium(II), 2659
  rhenium(V), 171
  rhenium(VI), 117
  rhodium, 2345
  rhodium(II), 1453
  rhodium(III), 827
  ruthenium(II), 2627
  ruthenium(II,III), 1453
  ruthenium(III), 1727
  tungsten(0), 1605
  tungsten(II), 245,2769
  vanadium(II), 2615
Acetophenone complex
  chromium(0), 1377
Acetophenone semicarbazone, thiosemicarbazone complexes, tellurium(IV), 633
Acetyls
  manganese(I), 1605
  osmium, 1035,1891
  ruthenium, 1035
  tungsten(II), alternative to allyl - carbonyl coordination, 163
N-Acetylcysteine, reaction with $[Fe(CN)_5NO]^{2-}$, 1197
N-Acetylcysteine complex
  thallium(III), 2487
Acetylferrocene benzoylhydrazone complexes, lanthanides, 1095
N-Acetyl-2-methylcysteine, N-Acetylpenicillamine, reactions with $[Fe(CN)_5NO]^{2-}$, 1197
N-Acetylpenicillamine complex
  thallium(III), 2487
4-Acetylpyridine complexes
  iron(II), 589
2-Acetylpyridinethiosemicarbazone complexes, lanthanides, 147
Acetylsalicylates
  copper(II), 1745
Actinides(III)
  carbonate complexes, 573
Acyls
  chromium, 2451
  chromium(-I), 1609
  iron, 2451
  iron(-I), 1609
  manganese(I), 1605
  molybdenum, 2451
  molybdenum(-I), 1609
  molybdenum(II), 1491
  niobium, 2451
  osmium, 1035,1891
  rhodium, 2451
  rhodium(III), 1545
  ruthenium, 1035
  tungsten, 2451
  tungsten(-I), 1609
  tungsten(II), alternative to allyl - carbonyl coordination, 163
  vanadium, 2451
Acylketene complexes
  ruthenium, 955
Adamantane hydroxylation, 425
Adenosylcobalamin, 1469
Alanine complexes
  cobalt(III), 1153
  vanadium(IV), 1245
Alcohol complexes
  chromium(0), 1619
  cobalt(II), 2575
  copper(II), 323
  iron(II), 2155
  ruthenium(III), 1727
Alcohol photooxidation, 477
Alkali metal amalgams, 1813
Alkanes
  hydrogenolysis, 2421
  hydroxylation, 425
Alkenes
  addition of carbonyl metallates, review, 2255
  epoxidation, 2569
  glycol formation, 1981

hydroformylation, 2441
hydrogenation catalysis, 1239, 1827
metathesis catalysis, 1831
oligomerisation catalysis, 2009
polymerisation catalysis, 2375
Alkene complexes
chromium(0), 1619
iron(0), 1605
molybdenum(0), 1831
osmium, 931,979,1891
platinum(0), 1349
platinum(II), 353
rhodium, 859
ruthenium, 979
ruthenium(0), 931
ruthenium(I,III), 837
ruthenium(II), 1239
tungsten(0), 1831
tungsten(V), 1015
Alkenediyl complexes
ruthenium(II), 837
Alkenyl complexes
osmium, 979
rhodium, 859
rhodium(I), 1001
ruthenium, 979
ruthenium(I,III), 837
uranium(IV), 1517
Alkenylphosphidoxo complexes
iron, 2285
Alkoxides
aluminium, 1389
cobalt(I), 1625
copper(II), 323
hafnium(IV), 1625,2165
magnesium, 1389
molybdenum, 919
molybdenum(II), 103,449
molybdenum(III), 903
molybdenum(V), 401
niobium(V), 2217
platinum(II), 1441
rhenium(III), 1363
rhenium(V), 329,1981
samarium, 1693
technetium(V), 1981
titanium(IV), 1625
tungsten(II), 449
tungsten(III), 903
tungsten(IV), 2053
tungsten(V), 1015
zirconium(IV), 1625
Alkyls
aluminium, 1289,1901,2119,2375, 2727
antimony(III), 2601
boron, 2119
cobalt(I), 1559,1625
cobalt(III), 1483,1499
gallium, 1289,1901
hafnium, 1409,1625
indium, 1289,2091
iridium(III), 1285,1429,2171
lanthanides, 2307
lead(II), 1909
lithium, 2023,2119,2307
manganese(I), 1605
manganese(III), 2001
molybdenum(II), 1491
osmium, 931
platinum(II), 1441,1953,2695
platinum(IV), 1169,2095
rhenium(VII), 1841
rhodium(III), 827,1827
ruthenium, 852,1945
ruthenium(I,III), 837
ruthenium(II), 837,1441
scandium, 1409
silicon, 151
tantalum(V), 753
thallium(III), 2487
tin(IV), 2531
titanium(IV), 1625
tungsten(II), 163
tungsten(III), 2049
tungsten(IV), 2053
tungsten(V), 1015
uranium(IV), 1517
zirconium(IV), 1625,2083,2375
Alkylamides
aluminium, 2727
lithium, 399,2515
molybdenum, 1931
molybdenum(II), 103,235,399, 2615
Mo(V),Nb(V),Ta(V), 67
tungsten(III), 1991
zirconium, 2515
Alkylarsenido complexes
aluminium, 1901
Alkylidene complexes
osmium, 1035
rhenium(VII), 1841
rhodium(III), 827
ruthenium, 759,850,1035
Alkylidyne complexes
bridging, review, 775
cobalt(I), 2297
cobalt(III), 1023
iron, 443
molybdenum(II), 2297
rhenium(V), 443
ruthenium, 443
trinuclear, review, 847
tungsten, 871
tungsten(II), 2297
Alkylimides
molybdenum(IV), 2615
Mo(V),Nb(V), 67
rhenium(VII), 1079
tantalum(V), 67
tungsten(V), 297
tungsten(VI), 117
Alkylphosphido complexes
gallium, 1901
lead(II), 1909
Alkylstibide, indium(III), 77
Alkynes, insertion into carbon - metal bonds, 850
Alkyne complexes
cobalt, 2345
molybdenum, 919
molybenum(III), 903
osmium, 931,979,2159
rhodium, 2345
ruthenium, 979,1071
ruthenium(0), 931
ruthenium(II), 1239
tungsten(II), 2769
tungsten(III), 903
Alkynyl complexes
Fe,Os,Ru, 1045
ruthenium(II), 1441
scandium, 1409
uranium(IV), 1517

Allene
dimerisation, 837
reaction with rhodium complex, 859
Alloys, catalysis by, review, 2383
Allyl complexes
hafnium, 2451
iron, 2285
iron(II), 425
manganese(I), 987
molybdenum, 2263
molybdenum(II), 987,1491,1719
niobium(I), 1819
osmium, 979
ruthenium, 1945,2263,2521
tantalum(I), 1819
tungsten, 871
tungsten(V), 1015
zirconium, 2451
Allylbenzene, allyl phenyl ether, 1827
1-Allyl-2-thiourea complexes
ruthenium(II), 219
Aluminium
alkoxide diketonate oxo magnesium complexes, 1389
alkyls, 2119
alkyl alkylamide, 2727
alkyl alkylarsenido,1901
alkyl oxo complexes, 2375
alkyl phosphine complexes, 1289
chloride complex, 1139
chloride - N-butylpyridinium chloride, solvent for complexation studies, 1341
chloride, hydrocarbon nitrosyl complexes, 97
diketonates, 369
heterocyclic compounds, 679
phenoxide Schiff base complex, 2723
polysalicylaldimine complexes, 1881
Alumoxanes, 2375
Amide (NH_2) complexes
Co(I), Hf(IV), Ti(IV), Zr(IV), 1625
Amide (organo) complexes
chromium(II), 1453
cobalt(II), 535
molybdenum(II), 1453
rhenium(V), 171
Rh(II), Ru(II,III), 1453
2-Amidophenoxide complex
molybdenum(V), 401
Amines, reaction with cobalt(III) complex, 1159
Amine complexes
aluminium, boron, 679
chromium(0), 1619
chromium(III), 2703
cobalt(II), 2575,2703
copper(I), 2583,2649
copper(II), 1053,2575,2703
iron(II), 589
molybdenum, 1931
molybdenum(I), 235
molybdenum(V), 67
nickel(II), 2575,2703
niobium(V), 67
palladium(II), 2659
rhenium(I), 2543
rhenium(V), 117,2537
rhenium(VII), 2537
rhodium(II), 1453
ruthenium, 2369
ruthenium(I), 417,1919
ruthenium(III), 1727
silver(I), 601
tantalum(V), 67
tungsten(V), 297
tungsten(VI), 117
Aminoacid complexes
cobalt(III), 1153,1243
iron(III), 747
neodymium, 2495
thallium(III), 2487
vanadium(IV), 1245
Aminoalcohol complexes
cobalt(III), copper(II), 1263
Aminoalcohol Schiff base complexes, Co(II),Cu(II), Fe(III),Ni(II),Zn, 337
4-Aminoantipyrine Schiff base complexes, 143
Aminoarsines, 2553
2-Aminobenzaldehyde, 2715
Aminobenzenethiolates
ruthenium(III), 1727
2-Aminobenzthiazole complexes
ruthenium(II), 219
2-Amino-1-butanol, reaction with cobalt(III) complex, 1159
Aminocarbene, aminocarbyne complexes, osmium, 967
2-(2′-Aminoethyl)pyridine Schiff base complexes, Cu(II),Zn, 695
5-Amino-5-methyl-3,7-diaza-1,9-nonanediol complex, cobalt(III), 1263
3-Aminomethylpinane, 2-Amino-1-phenyl-1,3-propanediol, reaction with cobalt(III) complex, 1159
2-Aminophenol-4-sulphonic acid Schiff bases, 2723
Aminophosphines, 2553
Aminopolycarboxylate complexes
cobalt(II), 1187
cobalt(III), 529
copper(II), nickel(II), 1187
Ammines
cobalt(III), 529
rhenium(V), 171
t-Amylthiolate, copper(I), 49
t-Amylthioxanthate, copper(I), 49
Anisate, ruthenium(II,III), 685
Anisole complexes
chromium(0), 1377
Antifungal complexes, 2183
Antimony(III)
alkyls, aryls, 2601
thiocarbamates, 483
Antimony(V)
fluoride titanium(IV) complex, 1221
Antipyrine Schiff base complexes, 2149
Arene complexes
chromium(0), 409,1377
iron(II), 2685
molybdenum(II), 2027
rhodium, 859
ruthenium(II), 1311

Arginine complexes
cobalt(III), 1153
Aromatic hydrocarbons, complexes with covalent halides and nitric oxide, 97
Arsenido complexes
lanthanides, lithium, 2307
tin(II), 1317
Arsine complexes
iron(II), 1687
osmium(0),(II), 709
platinum, 2321
ruthenium(II), 623
ruthenium(III), 29,1727
technetium(V), 285
Aryls
antimony(III), 2601
hafnium, 1409
iridium(III), 87,1429
lead(IV), 2039
manganese(I), 1605
osmium(VI), 1079
platinum(II), 2695
rhenium(V),(VI),(VII), 1079
rhodium, 859
scandium, 1409
silicon, 679
tantalum(V), 753
tin(IV), 2039
Arylamides
molybdenum(II), 103
molybdenum(V), 401
Pt(II), Ru(II), 1441
Arylimides
iron, osmium, 2331
review, 2331
rhenium(V), 117,329
rhenium(VI), 117
rhenium(VII), 1841
tungsten(V), 2015
tungsten(VI), 117
Atranes, 679,2189
Azaallyl complexes
ruthenium, 2521
1-Aza-3-phosphaallenes, 2213
Azenide complexes
ruthenium(I), 1919
Azide complexes
iron, 1377
lanthanides, 2307
titanium(IV), 1531
Azindole complexes
Pd(II), Rh(I), 2441
Azo complexes
copper(I), 161
palladium(II), 2659
Azobenzene complexes
molybdenum(IV), 1531
palladium(II), 647
titanium(IV), 1531
Azo dye complexes
palladium(II), 495
Azole complexes
cobalt(II), 2575
copper(I), 37,2583
copper(II), 307,323,695,2575
iridium(III), 1781
iron(II), 589
molybdenum, 1931
nickel(II), 2575
osmium(II), 1781
palladium(II), 1273,2441
platinum(II), 1273
rhodium(I), 2441
rhodium(II), 1453
ruthenium(II), 219,1781
ruthenium(II,III), 1453
samarium, 1693
zinc, 695,2575

B

Barium
cyclopentadienyl ether complexes, 725
murexide complexes, 1227
Benzaldehyde complex
chromium(0), 1377
Benzaldehyde Schiff base complex, thorium(IV), 143
Benzaldehyde semicarbazone complexes
molybdenum(II), 1719
tellurium(IV), 633
Benzaldehyde thiosemicarbazone complexes, tellurium(IV), 633
Benzene, reaction with rhodium complex, 859
Benzene complex
chromium(0), 1377
Benzenethiolates
iron, 1371
molybdenum(II), 2615
molybdenum(IV), 1531
osmium, 967
Ti(IV), W(IV), 1531
Benzoates
molybdenum(II), 103
molybdenum(IV), 1531
ruthenium(II,III), 685
Ti(IV), W(IV), 1531
Benzonitrile complexes
chromium(0), 673
Benzotriazole complexes
Ir(III), Os(II), 1781
Pd(II), Rh(I), 2441
ruthenium(II), 1781
Benzoyl complexes
manganese(I), 1605
osmium, ruthenium, 1035
Benzoylhydrazone complexes
Cd,Co,Cu,Mn,Ni,Zn, 393
Benzyl complexes
manganese(I), 1605
molybdenum(II), 1491
tungsten(IV), 2053
uranium(IV), 1517
Benzylamine, reaction with cobalt(III) complex, 1159
Benzylamine complexes
boron, aluminium, 679
Benzyl cyanide complexes
chromium(0), 673
Benzylidyne, benzyne complexes
osmium, 961
Beryllium, organo compounds, book review, 2247
Bibenzimidazolate complexes
copper(I), 37
Bicyclo[2.2.1]hepta-2,5-diene complexes, platinum(II), 1953
Biphenyl complexes
chromium(0), 409,1377
2,2′-Bipyrazine complexes
platinum(II), 1953

Bipyrimidine complexes
palladium(II), 731,2659
Pt(II),Ru(II), 731
1,2-Bis(dimethylphosphino)ethane complexes,
molybdenum(II), 2615
molybdenum(IV), 1767,2615
molybdenum(V), 1767
niobium(I), 1819
tungsten(IV),(V), 1767
vanadium(0),(II), 2615
Bis(dimethylphosphino)methane complexes, platinum(II), 2695
N,N-Bis(3,5-dimethyl-1-pyrazolylmethyl)aminoethane complexes, copper(I), 2583
Bis(dimethylsulphoxide)protium, 2143
Bis(diphenylphosphino)amine complexes, palladium(II), 2659
1,2-Bis(diphenylphosphino)benzene complexes, molybdenum(II), 1279
1,4-Bis(diphenylphosphino)butane complexes,
chromium(I),(II), 1965
rhodium(I), 2441
1,2-Bis(diphenylphosphino)ethane complexes
aluminium, 1289
chromium(II), 1965
cobalt, 2369
gallium, indium, 1289
iridium(III), 187
molybdenum(II), 1279,1673
palladium(II), 2441
platinum(II), 1441,1953
1,2-Bis(diphenylphosphino)ethene complexes, molybdenum(II), 1279
1,1′-Bis(diphenylphosphino)ferrocene complexes,
platinum(II), 1925,1953
rhodium(I), 2441
1,6-Bis(diphenylphosphino)hexane complexes, chromium(I), 1965
Bis(diphenylphosphino)methane complexes
chromium(II), 1965
copper(I), 49
molybdenum(I), 1793
palladium(II), 2659
platinum(II), 1953
rhodium(I),(II), 315
ruthenium(0), 1939
Bis(2-diphenylphosphinophenyl)phosphine complexes
Al, Ga, In, 1289
1,1-Bis(diphenylphosphino)prop-1-ene complexes, palladium(I), 239
1,2-Bis(di-i-propylphosphino)ethane complexes, rhodium(I), 1001
1,3-Bis(di-i-propylphosphino)propane complexes, rhodium(I), 1001
1,2-Bis(di-p-tolylphosphino)ethane complexes, Mo(II), 1673
Bis(1-methyl-1-benzoylhydrazonoethyl)cyclopentadienyl complexes, Cd,Co,Cu,Fe,Mn,Ni,Zn, 393
Bismuth, di-, molybdenum complex, 2239
N,N-Bis(1-pyrazolylmethyl)aminoethane complexes, copper(I), 2583
1,3-Bis(2-pyridyl)-1,3-propanedione complexes, 43
2,3-Bis(2-pyridyl)pyrazine complexes, Pd(II), Pt(II), Ru(II), 731
Bismuth(III)
thiocarbamates, thiodiketonate, 483
1,2-Bis(4-pyridyl)ethane complexes, iron(II), 589
Bis(trimethylsilyl)phosphido complexes, zirconium, 2083
Biuret complexes, Cd, Co(II), Mn(II), Ni(II), Zn, 1869
Bond dissociation energies and enthalpies, bond strengths, calculations, 1625,1677
C - H, 1409,1429
gaseous ions, 1583
M - C, 1409,1429,1441,1469, 1483,1491,1499,1517,1531, 1545,1573,1583,1605,1625
M - C_5H_5, 1531
M - H, 1409,1429,1441,1491, 1531,1545,1573,1583,1605,1625
M - Halogen, 1491,1517,1531, 1605
M - M, 1491,1605
M - N, 1441,1531,1583,1605,1625
M - O, 1441,1531,1583,1625
M - P, 1441,1531,1625
M - S, 1441,1531,1583,1625
M - Si, 1625
solvent cage effects, 1499
Book reviews
beryllium organo compounds, 2247
coordination chemistry, 2243
copper organo compounds, 1225, 1789
fluorine chemistry, 169
gallium organo compounds, 587
manganese coordination compounds, 501
polymer radiothermoluminescence, 671
tin(IV) organo compounds, 1225
Borane amine complexes, 679
Borane anions, polyhedral, 363, 2437
Bornylamine, reaction with cobalt(III) complex, 1159
Boron
alkyls, 2119
halide - aromatic hydrocarbon - nitric oxide complexes, 97
heterocyclic compounds, 679
Bromides and bromo complexes
cadmium, 2129
cobalt(II), 1147,1869
copper(I), 2583
copper(II), 43,1053,1383
gold, 2317
gold(III), 1231,1861
iridium(III), 87,1429
iron, 1371
iron(II), 425
iron(III), 291,2465
manganese(I), 1605
manganese(II), 1869
mercury, 2503
molybdenum(II), 1279,1719

molybdenum(IV), 1531
nickel(II), 1147,1869
osmium, 791,1035
osmium(0),(II), 709
osmium(III), 417,709
palladium(II), 419,659
palladium(IV), 2611
phosphorus(V), 1725
platinum(II), 419,659
platinum(IV), 1169
rhenium(III), 2743
rhenium(V),(VII), 2537
rhodium(I), 379,1067
ruthenium(II), 1737
ruthenium(III), 29,417,1737
silver, 2317
technetium(V), 285
thallium, 2561
titanium(IV), 1531
tungsten(IV), 1531
vanadium(II), 737
zinc, 43,1147,1869,2129,2503
Bromobenzene complex
chromium(0), 1377
4-Bromomandelate, hafnium, 2165
3-Bromopyridine complexes
iron(II), 589
2-Bromotetrafluorophenyl(diphenyl)phosphine complexes,
iridium(III), 87
1,3-Butadiene, reactions with:
rhodium complex, 859
technetium(VII) complex, 1981
1,3-Butadiene complexes
niobium(I), tantalum(I), 1819
1,2-[&2,3]-Butanediol complexes
palladium(II), 349
n-Butanethiolates,
copper(I), 49
molybdenum(IV), 1531
t-Butanethiolate
molybdenum(IV), 1531
n-Butanol, solvent effects, 2135
2-Butanone semicarbazone complexes, molybdenum(II), 1719
Butenes, oligomerization, 2009
1-[&2-]Butenyl complexes
rhodium(I), 1001
t-Butoxides
molybdenum(III), 903
rhenium(III), 1363
tungsten(III), 903
i-Butyls
aluminium, 1289
n-Butyls
rhodium(III), 827
uranium(IV), 1517
t-Butyls
gallium, 1901
t-Butylamides
molybdenum(V), 67
tantalum(V), 67
i-[&n-, sec-]Butylamine, reaction with cobalt(III) complex, 1159
t-Butylamine complexes
molybdenum(V), 67
niobium(V), 67
rhenium(V), 117
tantalum(V), 67
tungsten(V), 297
tungsten(VI), 117
t-Butylbenzene complex
chromium(0), 1377
2-Butyldihydropyridyl complexes
lithium, 665
2-t-Butyl-1,3-dithiolane complexes, Pd(II), Pt(II), 1329
t-Butylhydroperoxide, 2569
t-Butylimides
molybdenum(V), 67
niobium(V), 67
rhenium(VII), 1079
tantalum(V), 67
tungsten(V), 297
tungsten(VI), 117
t-Butylisocyanide complexes
molybdenum(0), 1831
molybdenum(IV), 1767
osmium, 791
rhodium(II), 315,1751
samarium, 1693
tungsten(0), 1831
tungsten(IV), 1767
vanadium(II), 2615
t-Butylpyridine complexes
iron(II), 425
N-Butylpyridinium chloride - $AlCl_3$, solvent for complexation studies, 1341
t-Butylthiolates
lanthanides, lithium, 2307
rhodium(I), 2441
2-Butyne complexes
tungsten(II), 63,2769
Butyrates
iron(III), 2175
rhodium(II), 1453
Butyronitrile [i&n] complexes
chromium(0), 673

C

C221, C222, C22B complexes
lithium, 1341
C_A parameters, Cr, Mo, Rh, Ru binuclear carboxylates, 1453
Cadmium
benzoylhydrazone chloride iron(II) complexes, 393
biuret chloride complex, 1869
chloride complexes, 715
chloride hydrazine complex, 1147
chloride pyrimidine thioether complex, 659
diketonate pyridine complexes, 43
halide complexes, 715,2129
iodide thione complexes, 2503
nitrite complexes, 213
polysalicylaldimine complexes, 1881
pyridine Schiff base thiolate complex, 2183
Cage effects, bond dissociation energies, 1499
Calcium
cyclopentadienyl ether complexes, 725
murexide complexes, 1227
Calorimetric titrations
Cd, Zn halide complexes, 2129
Carbaboranes, 669
Carbene complexes
osmium, 1035
review, 767

ruthenium, 759,1035
Carbide complexes, iron, rhodium, 2351
N-Carboamido-2-pyrrolethioamide, N-carboethoxythioamide complexes, ruthenium(II), 623
Carbon, adsorption of molybdenum(VI), 547
Carbon - carbon bond formation, 781,827,955,1015
Carbon - hydrogen bonds
activation, review, 1429
dissociation energy and enthalpy, 1409,1429
formation, 775,955
reductive elimination, 852
Carbon disulphide complexes
ruthenium(III), 1727,1737
vanadium(0), 2615
Carbon monoxide
activation, 2351
hydrogenation, 2411
Carbonate complexes
actinides(III), 573
Carbonyls
chromium, 2451
chromium(-I), 1609
chromium(0), 409,673,1377,1605, 1619,1965,2297
chromium(I), 1559,1965
chromium(II), 1965
cobalt, 2297,2345,2369,2411
cobalt(I), 1559,1625,2297
gaseous, 1559,1605,1609,1619
hafnium(IV), 759
iridium, 2351
iridium(I), 29
iron, 443,1045,2285,2331,2351, 2411,2451
iron(-I), 1609
iron(0), 1605,2285
iron(I), 2285
iron(II), 425,1687
iron(III), 881
manganese(0), 1605,2255
manganese(I), 409,987,1605
molybdenum, 2239,2263,2411,2451
molybdenum(-I), 1609
molybdenum(0), 489,1605,1831, 2255
molybdenum(I), 1491,1793,2271
molybdenum(II), 987,1491,1719, 2027,2297
molybdenum(III), 2715
nickel(0), 1499,1605
niobium, 2451, review, 1639
osmium, 791,961,967,979,1035, 1045,1759,1891,2159,2331, 2399,2421
osmium(0), 931
osmium(II), 709,1781
palladium, 2271,2351
platinum, 2271,2351
review, 1639
rhenium, 2421
rhenium(0), 2255
rhenium(I), 195,1363,1401,2255, 2543
rhenium(II), 195
rhenium(III), 2743
rhenium(V), 443
rhodium, 561,2345,2351,2451
rhodium(I), 29,315,1861,2441
rhodium(II), 315,1441,1751
ruthenium, 443,759,955,979, 1035,1045,1071,1759,2263, 2331,2341,2369,2521
ruthenium(0), 931,1939
ruthenium(I), 417,1919
ruthenium(II), 219,417,1781
scandium, 1559
tantalum, review, 1639
tungsten, 2451
tungsten(-I), 1609
tungsten(0), 1605,1831
tungsten(II), 63,163,245,2297, 2769
vanadium, 2451, review, 1639
vanadium(-I), 2039
zirconium(IV), 759
N-Carbophenylamido-2-pyrrolethioamide complexes, ruthenium(II), 623
Carboxylate complexes
chromium(II), 1453
chromium(III), 2703
cobalt(II), 43,2703
copper(II), 43,689,1053,1335, 1745,2703
hafnium, 2165
iron(III), 2175
manganese(II), 331
molybdenum(II), 103,1279,1453, 2201
molybdenum(III), 2715
molybdenum(IV), 1545
nickel(II), 43,2703
osmium, 979
palladium(II), 615,2477
rhenium(V), 329
rhodium(II), 1453
ruthenium(II), 1239
ruthenium(II,III), 685,1393, 1453,2597
tin(IV), 2225
titanium(IV), 1545
tungsten(III), 1991
tungsten(IV), 1545
zinc, 43,689,1335
Carboxylic acid complexes
K,Li,Na, 1
7-Carboxymethyl-7,16-diaza-18-crown-6 complexes, Cu(II), 1053
Carbyne complexes
heteropolynuclear, 807
Catechol complexes
copper(II), 609
molybdenum(IV), 1545
palladium(II), 349
tungsten(IV), 1545
Cation distortion isomerism, copper(II) cimetidine complexes, 307
CD spectra
cobalt(III) aminoacid nitrite complexes, 1153
cobalt(III) chloride diamine complexes, 1159
cobalt(III) cysteine complex, 1243
cobalt(III) salicylate complex, 2731
iron(III) cyctochrome c oxidase phthalocyanine complex, 2667
vanadium(IV) alanine oxo complexes, 1245

Cerium(III)
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborates, 79
hydroxide complexes, 1355
Chirality, trinuclear clusters, 2297
Chlorides and chloro complexes
aluminium, 1139
cadmium, 393,659,715,1147,1869
cobalt, 2321
cobalt(II), 43,393,535,1147, 1785,1869,2149,2473,2575
cobalt(III), 1159,1263
copper(I), 2583
copper(II), 43,1053,2473
gold, 605,2317,2321
gold(I), 1861
gold(III), 659,1231,1861
hafnium, 1409,1625
indium(III), 77
iridium(III), 87,651,1429,2143
iron(II), 425
iron(III), 291,337,425,2175, 2183,2465
lanthanides, 1095,2307
manganese(I), 1605
manganese(II), 393,1869,2149, 2473
mercury, 659,2159,2503,2509
molybdenum, 1931
molybdenum(II), 449,463,1279, 1673,1719,2027,2201,2615,2679
molybdenum(IV), 1545,1767,2615
molybdenum(V), 67,1767,2027
molybdenum(VI), 579
nickel(II), 43,393,1147,1869, 2009,2149,2473,2575
niobium(V), 67,2217,2221
osmium, 1035,1759,2159
osmium(0),(II), 709
osmium(III), 417,709
palladium(I), 239
palladium(II), 29,207,659,731, 1321,1329,1861,2477,2659
platinum, 2321
platinum(II), 29,505,659,731, 1321,1329,1861,1953,2695
platinum(IV), 2095
potassium, 2307
rhenium(I), 1363,2543
rhenium(III), 1207,1363,2743
rhenium(V), 117,171,329,1981, 2537
rhenium(VI), 117
rhenium(VII), 1079,1841,1981, 2537
rhodium, 2321,2345
rhodium(I), 29,315,1067,1827, 1861
rhodium(II), 315,1751
rhodium(III), 29,651,1827,2087
ruthenium, 1759,1945,2321
ruthenium(I,III), 837
ruthenium(II), 29,207,575,623, 731,837,1311,1727
ruthenium(II,III), 685,1453
ruthenium(III), 29,417,575, 1063,1727
scandium, 1409
silver, 2317
sodium, 2307
tantalum(V), 67
technetium(V), 285,1981
technetium(VII), 1981
tellurium(IV), 633
thallium, 2561
tin(II), 1317
tin(IV), 2655
titanium(IV), 1545,1625,2655
trichloride, 1725
tungsten(II), 163,449
tungsten(IV), 1545,1767,2053
tungsten(V), 297,1767
tungsten(VI), 117,579
uranium(III), 167
uranium(IV), 249
vanadium(III), 2039
zinc, 1147,1869,2129,2473
zirconium, 1625,2083,2375
Chloroacetate, iron(III), 2175
Chlorobenzene, reaction with rhodium complex, 859
Chlorobenzene complex
chromium(0), 1377
Chlorodiphenylgermyl complexes
rhenium, 2209
2-Chloroethoxides, Mo(II), W(II), 449
4-Chloromandelate, hafnium, 2165
2-Chlorophenoxide
titanium(IV), 1545
4-Chloro-1,2-phenylenediaminetetraacetates, Co, Cu, Ni, 1187
4-Chloropyridine-N-oxide complexes, thallium, 2561
Chlorosulphate, rhenium(VII), 705
Chlorosulphuric acid, solvent, 705
2-Chlorotoluene complexes
iron(II), 285
Chromate complexes
iron, 1371
silver(I), 601
Chromium
acyl carbonyl zirconium complexes, 2451
gaseous organo- ions, 1583
Chromium(-I)
carbonyl formyl complexes, 1609
Chromium(0)
alcohol alkene amine carbonyl ether ketone nitrile phosphine pyridine complexes, 1619
alkene carbonyl complexes, 1605
arene carbonyl phosphine complexes, 1377
arene carbonyl phosphine phosphite complexes, 409
carbonyl cyclopentadienyl complexes, 1965
carbonyl solvent complexes, 673
carbonyl steroid hormone complexes, 2297
Chromium(I)
carbonyl ions, 1559
carbonyl cyclopentadienyl diphosphine phosphine complexes, 1965
Chromium(II)
amide carboxylate ether nitrile phosphate phosphite sulphoxide binuclear complexes, 1453
carbonyl cyclopentadienyl

hydride phosphine complexes, 1965
Chromium(III)
amine carboxylate hydroxide phenoxide water iron(III) complex, 2703
peptide complex, 523
phosphoramidothioates, 557
Chromium(VI)
reduction by methionine, 11
Cimetidine complexes
copper(II), 307
Cinnamaldehyde semicarbazone, thiosemicarbazone complexes, silicon, 151
Cluster complexes
electron counting, review, 253
polyhedral rearrangements, 1107
topology, 1813
Cobalt
acyl carbonyl cyclopentadienyl zirconium complexes, 2451
alkyne carbonyl phosphine rhodium complexes, 2345
carbonyl hydride phosphine ruthenium complexes, 2369
carbonyl steroid hormone complexes, 2297
carbonyl thio molybdenum complexes, 2369
chloride phosphine complexes, 2321
gaseous organo- and other ions, 1583
Cobalt(I)
alkoxide amido cyanide hydride hydrosulphide hydroxide methyl phosphido silyl complexes, 1625
alkyl carbonyl ions, 1559
alkylidyne carbonyl Mo(II) W(II) complexes, 2297
Cobalt(II)
acetate chloride diketonate pyridine thiocyanate complexes, 43
amide chloride complexes, 535
amine azole chloride methanol thiocyanate water complexes, 2575
amine carboxylate phenoxide water binucleating complexes, 2703
aminopolycarboxylate complexes, 1187
antipyrine Schiff base chloride water complexes, 2149
azole nitrate thioether complex, 2591
benzoylhydrazone chloride iron(II) complexes, 393
biuret halide complexes, 1861
carbonyl cyclopentadienyl methylene complex, 946
chloride complexes, 1785,2473
dicarboxylate complexes, 203
diketonates, 421
dioxygen Schiff base water complexes, 337
halide hydrazine thiocyanate complexes, 1147
hexamethylphosphoramide complexes, 2135
hydroxide squarate complex, 2155
hydroxyquinoline complexes, 513
isocyanide thiocyanate rhodium(I) polymeric complex, 741
peptide complexes, 1089
phosphine oxide complex, 1785
pyridine Schiff base thiolate complex, 2183
Cobalt(III)
alkyl dimethylglyoxime pyridine complex, 1499
alkyl phosphine pyridine Schiff base complexes, 1483
alkylidyne cyclopentadienyl diselenolato dithiolato seleno sulphonium thio complexes, 1023
aminoacid nitrite complexes, 1153
aminoalcohol chloride complex, 1263
aminopolycarboxylate ammine diamine complexes, 529
chloride diamine complex, 1159
cyclopentadienyl complex, 2039
cyclopentadienyl phosphonate platinum(IV) complexes, 2095
cysteine complex, 1243
salicylate complex, 2731
1-Cobalta-2,5-diheterocyclopent-3-enes, 1023
Coenzyme B_{12}, 1469
Copper
effect on ferrihydrite decomposition, 385
organo compounds, book reviews, 1225,1789
Copper(I)
acetonitrile azo complexes, 161
amine azole halide tetrafluoroborate thiocyanate trifluoromethanesulphonate complexes, 2583
amine Schiff base thioether sodium complexes, 2649
aminopolycarboxylate hydroxide complexes, 1187
azole hydroxyquinoline nitrile oxalate phosphine complexes, 37
diphosphine thiolate thiophenoxide thioxanthate complexes, 49
phosphine thiolate thioxanthate complexes, 1121
thiolates, 2205
Copper(II)
acetate diketonate halide pyridine complexes, 43
alcohol alkoxide azole complex, 323
amine azole water complex, 2575
amine carboxylate phenoxide water binucleating complexes, 2703
aminoalcohol complex, 1263
azole nitrate thioether water complexes, 2591
azole pyridine Schiff base complexes, 695
benzoylhydrazone chloride

iron(II) complexes, 393
bromide hydrazone pyridine complex, 1383
carboxylate pyridine water complexes, 1745
catecholate pyridine complex, 609
chloride complexes, 2473
cimetidine complexes, 307
cryptand amine carboxylate ether halide nitrate perchlorate complexes, 1053
hydroxynaphthoate picolinate complexes, 1335
mepirizole oxalate water complex, 229
perchlorate, 345
picolinate complexes, 689
pyridine Schiff base thiolate complex, 2183
salicylhydrazide Schiff base complex, 543
Schiff base complex, 337
thenoyltrifluoroacetate, 303
Covalent halides, aromatic hydrocarbon nitric oxide complexes, 97
Covalent radius, iridium(III) 2171
Creatinine complexes
Pd(II), Pt(II), 1273
Cresolates
molybdenum(II), 103
titanium(IV), 1545
Crown ether complexes
potassium, 137,721,2761
sodium, 137,2649
Cryptand complexes
copper(II), 1053
lithium, 1341
potassium, 721
silver(I), 2229
Curtius rearrangement, 223
Cyanate complexes
iron, 1371
osmium, 791
Cyanide complexes
cobalt(I), 1625
gold(I), 651
hafnium, 1625
iridium(III), 651
iron, 1197
iron(II), 1687
platinum(II), 1441
rhodium(III), 651
ruthenium(II), 1441
titanium(IV), 1625
tungsten(V), 471
vanadium(II), 2615
zirconium, 1625
3-Cyanopyridine complexes
iron(II), 589
4-Cyanopyridine complexes
thallium, 2561
Cyclic voltammetry
copper(II) azole pyridine Schiff base complex, 695
iron(II) amine azole porphyrin pyridine selenocarbonyl thiocarbonyl complexes, 589
iron(II) phenoxide thio thiolate thiophenoxide complexes, 1911
lithium semiquinone complex, 2429
molybdenum alkylamido amine halide nitrosyl pyrazolylborate complexes, 1931
molybdenum(0) carbonyl diimine phosphine complexes, 489
molybdenum(II) acetate diphosphine halide complexes, 1279
molybdenum(II) chloride phosphine complexes, 2679
molybdenum(VI) oxo tropolonate complex, 1129
rhenium(I),(II) carbonyl formamidinate phosphine triazenide complexes, 195
rhodium(I), carbonyl chloride diphosphine isocyanide complexes, 315
rhodium(I) carbonyl chloride phosphinopyridine complexes, 1751
rhodium(II), carbonyl chloride diphosphine isocyanide complexes, 315
ruthenium(II) chloride diimine complexes, 575
ruthenium(II) chloride cymene oxopyridinate complexes, 1311
ruthenium(II) diimine complexes, 137
ruthenium(II,III) carboxylate chlorides, 685
ruthenium(III) chloride diimine complexes, 575
ruthenium(III) maltol complexes, 1973
Cycloheptatriene, cyclohexadienes, reaction with rhodium complex, 859
Cycloheptatrienyl complexes
Mo(0), Re(I), 2255
Cyclohexadienyl complexes
Mn(0), Re(0),(I), 2255
Cyclohexane hydroxylation, 425
1,4-Cyclohexanediamine complexes
ruthenium, 2369
1,2-Cyclohexanediolate
technetium(V), 1981
Cyclohexene, reaction with Tc(VII) complex, 1981
Cyclohexene complexes
ruthenium(II), 1239
Cyclohexene, 2-cyclohexen-1-one hydrogenation, 1827
Cyclohexyls
iridium(III), 1429
lithium, 2119
Cyclohexylamine, reaction with cobalt(III) complex, 1159
Cyclohexylisocyanide complexes
molybdenum(0), 1831
molybdenum(IV), 1767
tungsten(0), 1831
Cyclometallated compounds
hafnium, 1409
molybdenum, 919
osmium, 931
palladium(II), 2659
ruthenium, 850
ruthenium(I,III), 837
scandium, 1409

tantalum(V), 753
1,5-Cyclooctadiene, reaction with rhodium complex, 859
1,5-Cyclooctadiene complexes
iridium(I), 2035
platinum(II), 353,1925,1953
rhodium, 561
rhodium(I), 1067,2035
Cyclooctatetraene, cyclopentadiene, reactions with rhodium complex, 859
Cyclooctene complexes
ruthenium(II), 1239
Cyclooctene hydrogenation, 1827
Cyclopentadienyls
barium, calcium, 725
chromium(0),(I),(II), 1965
cobalt(III), 1023,2039,2095
hafnium(IV), 759,1409
iridium(III), 1429
iron(II), 393,1925,2441,2685
iron(III), 881
lanthanides, 1095,2307
Dy,Er,Gd,Nd,Sm
molybdenum, 2239,2263,2411
molybdenum(I), 409,1491,1793, 2271
molybdenum(II), 987,1491,2297
molybdenum(IV), 1545
rhenium, 2209
rhenium(III), 2743
rhenium(V), 443
rhodium, 859
rhodium(III), 827
ruthenium, 759
ruthenium(I,III), 837
ruthenium(II), 623,837,1441
samarium, 1693
scandium, 1409
strontium, 725
tantalum(V), 2053
titanium(IV), 1221,1545
tungsten(II), 2297
tungsten(III), 1991
tungsten(IV), 1545,2053
uranium(IV), 249,1517
zirconium(IV), 759,2083,2375, 2441
Cyclopentyl, iridium(III), 1429
Cyclopentylphosphido complexes
gallium, 1901
p-Cymene complexes
ruthenium(II), 1311
Cysteine, reaction with $[Fe(CN)_5NO]^{2-}$, 1197
Cysteine complexes
cobalt(III), 1243
thallium, 2487
Cysteinylglycine complexes
cobalt(II), zinc, 1089
Cytochrome *c*- oxidase complex
iron(III), 2667

D

n-Decanethiolate
molybdenum(IV), 1531
3,4-Diacetyl-2,4-hexadiene-2,5-diol complexes, platinum(II), 353
2,6-Diacetylpyridinedihydrazone complexes, lanthanides, 439
2,6-Diacetylpyridine Schiff base complexes
Cd(II), Co(II), 2183
copper(II), 695,2183
Fe(III), Ni(II), 2183
zinc, 695, 2183
Dialkyne complexes
tungsten(II), 63
Diamine complexes
cobalt(III), 529,1159
copper(II), 1263
lithium, 2001,2307
Mo(V),Nb(V), 67
rhodium(I), 1067
ruthenium, 2369
ruthenium(II), 1727,1737
ruthenium(III), 1737
tantalum(V), 1067
1,4-Diaminobenzene complexes
ruthenium, 2369
1,3-Diaminopropane complexes
cobalt(III), 529
4,6-Diamino-2-methylthio-5-nitrosopyrimidine complexes, 659
Diarylazo compounds, copper(I) complexes, 161
1,3-Diaryltriazenide complexes
Ir(III),Os(III),Rh(III), Ru(I),(II),(III), 417
1,4-Diazabicyclo[2.2.2]octane complexes, iron(II), 589
1,4-Diaza-1,3-butadienes complexes, tungsten(II), 63
Diazenide complexes
molybdenum(V), 401
rhenium(V), 171
zirconium, 2083
Dibenzo-18-crown-6, dibenzo-24-crown-8 complexes, K, 2761
1,2-Dibenzoyl-1,2-dithioethene complexes, tungsten(V), 471
Dibismuth complexes
molybdenum, 2239
Di-*t*-butylarsenido complexes
aluminium, 1901
lanthanides, lithium, 2307
tin(II), 1317
3,5-Di-*t*-butylcatecholate complex
copper(II), 609
4,4′-Di-*t*-butyldipyridine complexes, ruthenium(II), 575
Dibutyl fumarate, maleate, reaction with technetium(VII) complex, 1981
Di-*t*-butylphosphido complexes
lanthanides, 2307
lead(II), 1909
lithium, 2307
tin(II), 1317
Di-*t*-butylphosphine complexes
rhodium, 561
Di-*t*-butylstibide
indium(III), 77
Dibutyltartrate
technetium(V), 1981
Dicarboxylates
cobalt(II), 203
copper(I), 37
copper(II), 229
palladium(II), 2477
ruthenium(II,III), 1393
Dichloroacetate, iron(III), 2175
Dichlorobenzenes, reaction with

rhodium complex, 859
2,6-Dichlorophenylimido complexes
rhenium(VII), 1841
1,3-Di-*p*-chlorophenyltriazenides
ruthenium(I), 1919
3,5-Dichloropyridine complexes
iron(II), 589
2,6-Dichlorotoluene complexes
iron(II), 2685
Dicyclohexyldithiocarbamates
silver(II), 25
Dicyclohexyl(phenyl)phosphine
complexes, copper(I), 1121
Diene complexes
hafnium, 2451
iridium(I), 2035
manganese(0), 2255
niobium(I), 1819
platinum(II), 1925,1953
rhenium(0), 2255
rhodium, 561,859
rhodium(I), 1067,2035
tantalum(I), 1819
zirconium, 2451
Dienyl complexes
Mn(0), Re(0),(I), 2255
Diethylacetamide, solvent
effects, 2135
Diethylamide, Mo(II), 2615
Diethylamine, reaction with
cobalt(III) complex, 1159
Diethylaminocyanide complexes
molybdenum, 919
Diethyldithiocarbamate complexes
Sb(III), Bi(III), 483
osmium(II),(III), 709
ruthenium(III), 1727,1737
technetium(V), 285
tellurium(IV), 1267
Diethylether complexes
lanthanides, sodium, 2307
Diethylformamide, solvent
effects, 2135
Diethyl muconate complexes
osmium, 931
Diethyl(phenyl)phosphine,
reaction with ruthenium(0)
complex, 1939
Diethyl(phenyl)phosphine
complexes, chromium(I), 1965
Diethylphosphonates
Co(III), Pt(IV), 2095
Diethylsulphide complexes
platinum(II), 353
Differential pulse voltammetry
iron(II) amine azole porphyrin
pyridine selenocarbonyl
thiocarbonyl complexes, 589
Dihydroabietylamine, reaction
with cobalt(III) complex, 1159
Dihydroindenoindenediolate
samarium, 1693
Dihydropyran, 3,4-dihydro-2-
methoxy-2*H*-pyran hydrogenation,
1827
2,2′-Diimidazole complexes
copper(I), 37
Diimine complexes
copper(II), 229
holmium, 647
iron(II), 425
lanthanides, 155
molybdenum(0), 489
molybdenum(V), 67
nickel(II), 1175
niobium(V), 67
palladium, 2321
palladium(II), 349,731,2659
platinum(II), 137,349,731,1953
rhenium(V),(VII), 1981
rhodium(I), 1067
ruthenium(II), 137,575,731
ruthenium(III), 575,1727,1737
silver, 601
tantalum(V), 67
technetium(V),(VII), 1981
tungsten(II), 63
tungsten(VI), 117
4,4′-Diisocyanobiphenyl complexes
cobalt(II), rhodium(I), 741
Diketonates
aluminium, 369,1389
cadmium, 43
cobalt(II), 43,421
copper(II), 43,303
lanthanides, 79,155,1095
magnesium, 1389
manganese(II), 43
nickel(II), 43,2233
platinum(II), 353
ruthenium(III), 1727
scandium, 1409
zinc, 43
Dilithiodialkylmethanes, 2023
Dimethoxyethane complexes
potassium, 2307
Dimethylacetamide, solvent
effects, 2135
Dimethylacetamide complexes
Cr(II), Mo(II), Rh(II), 1453
Dimethyl acetylenedicarboxylate
complexes, osmium, 931
1,1-Dimethylallyl complexes
manganese(I), 987
1,2-Dimethylallyl complexes
Mn(I), Mo(II), 987
Dimethylamides
lithium, 399,2515
molybdenum(II), 399
tungsten(III), 1991
zirconium, 2515
Dimethylamine complex
rhenium(I), 2543
4-Dimethylaminobenzaldehyde
Schiff base complexes, Th, 143
Dimethylammonio-1-propanethiolate
mercury, 2509
N,*N*-Dimethylaniline complexes
chromium(0), 1377
ruthenium, 2369
Dimethylbenzylamine complexes
palladium(II), 2659
N,*N*′-Dimethyl-1,3-bis(2-pyridyl)-
1,3-propanediamine complexes
Cd,Co,Cu,Mn,Ni,Zn, 43
2,3-Dimethyl-2-butene complexes
chromium(0), 1619
2,4-Dimethylbutyl
iridium(III), 1429
Dimethylcyanamide complexes
chromium(II), 1453
4,4′-Dimethyl-2,2′-dipyridyl
complexes, platinum(II), 1953
Dimethyldithioarsenates
platinum(IV), 1855
Dimethyldithiocarbamates

osmium(II),(III), 709
tellurium(IV), 1267
tungsten(II), 163
2,2-Dimethyl-1,3-dithiolane complexes, Pd(II), Pt(II), 1321
N,N′-Dimethylethylenediamine-N,N′-di-α-butyrate complexes
cobalt(III), 529
Dimethylformamide, solvent effects, 1227,2135
Dimethylformamide complexes
chromium(II), 1453
rhenium(V), 171
Dimethyl fumarate, maleate complexes, osmium, 931
Dimethylglyoximates
cobalt(III), 1483,1499
Dimethylhydrazine complex
rhodium(III), 2087
2,9-Dimethyl-1,10-phenanthroline complexes, platinum(II), 353
5,6-Dimethyl-1,10-phenanthroline complexes, rhodium(I), 1067
Dimethyl(phenyl)phosphine complexes,
chromium(I), 1965
iridium(III), 651,1285,2171
molybdenum(II), 1491
platinum(0), 2271
platinum(II), 353,419,1953
rhenium(I), 1401
rhodium(III), 651
ruthenium, 1945
technetium(V), 285
tungsten(II), 2769
Dimethylphosphonates
Co(III), Pt(IV), 2095
3,5-Dimethylpyrazole complexes
copper(I), 37
1,2-Dimethyl-3-hydroxypyrid-4-one complex, iron(III), 2235
Dimethylsulphoxide, solvent effects, 1227,2135,2473
Dimethylsulphoxide complexes
chromium(0), 673
chromium(II), 1453
iridium(III), 2143
Mo(II), Rh(II), 1453
ruthenium(II), 29,1727,1737, 2627
ruthenium(II,III), 1453
ruthenium(III), 1727,1737
2,2-Dimethyltetrahydrofuran complexes, chromium(0), 1619
3-(4′,5′-Dimethyl-2′-thiazolylazo)-2,6-diaminopyridine complex, palladium(II), 495
5,5-Dimethyl-1,1,1-trifluoro-2,4-hexanedionate, aluminium, 369
Diolate complexes
lithium, 2001
palladium(II), 349
Re(V), Tc(V), 1981
Dioxygen complex
cobalt(II), 337
Diphenylacetylene complexes
cobalt, 2345
osmium, 2159
rhodium, 2345
tungsten(II), 63,2769
Diphenylamido complexes
Pt(II), Ru(II), 1441
Diphenylarsenido complexes
lanthanides, lithium, 2307
Diphenylcarbazone complex
molybdenum(VI), 401
Diphenylditelluride complexes
platinum(IV), 1169
Diphenyl-1,2-ethanediolate
technetium(V), 1981
Diphenyl(ethyl)phosphine, reaction with ruthenium(0) complex, 1939
Diphenyl(methyl)phosphine complexes
molybdenum(I),(II), 1491
nickel(II), 2009
platinum(0), 2271
platinum(II), 1953
platinum(IV), 1855
ruthenium, 1945
4,7-Diphenylphenanthroline complexes
platinum(II), 1953
rhodium(I), 1067
silver, 601
2,6-Diphenylphenoxides
tantalum(V), 753
Diphenylphosphido complexes
lanthanides, 2307
Diphenylphosphinate, indium, 2091
Diphenylphosphinocyclopentadienyl complex, iron(II), 1925
1-Diphenylphosphino-2-di(4-t-butylphenyl)phosphinoethane complexes, molybdenum(II), 463, 1673
1-Diphenylphosphino-2-di(p-tolyl)phosphinoethane complexes, molybdenum(II), 1673
2-Diphenylphosphinopyridine complexes
molybdenum(II), 2201
rhodium(II), 1751
Diphenylpyridiniumgermyl complexes, rhodium, 2209
Diphenyl(4-sulphonatophenyl)phosphine complexes, gold, 605,2321
Diphenyl(p-tolyl)phosphine complex, ruthenium(II), 2031
Diphenyl(triflato)germyl complexes, rhodium, 2209
Diphosphines, aryl, 1875
Diphosphine complexes
aluminium, 1289
chromium(I),(II), 1965
cobalt, 2369
copper(I), 49
gallium, indium, 1289
iridium(III), 187
molybdenum(I), 1793
molybdenum(II), 463,1279,1673, 2615
molybdenum(IV), 1767,2615
molybdenum(V), 1767
niobium(I), 1819
palladium(I), 239
palladium(II), 2441,2659
platinum(II), 1441,1925,1953
rhodium(I), 315,1001,1827,2441
rhodium(II), 315
rhodium(III), 1827
ruthenium(0), 1939
tantalum(I), 1819
tungsten(IV),(V), 1767
vanadium(0),(II), 2615

Dipole moments, chromium(I), scandium(I) carbonyl ions, 1559
Di-i-[&n]-propyldithiocarbamates
silver(II), 25
tellurium(IV), 1267
2,6-Di-iso-propylphenoxides, 2,6-di-iso-propylphenylimido complexes, rhenium(VII), 1841
2,2′-Dipyridyl complexes
iron(II), 425,589
lanthanides, 55
molybdenum(0), 489
Mo(V),Nb(V), 67
palladium(II), 349
platinum(II), 137,1953
rhodium(I), 1067
ruthenium(II), 137,575
ruthenium(III), 1727,1737
silver(I), 601
tantalum(V), 137
technetium(V),(VII), 1981
tungsten(VI), 117
4,4′-Dipyridyl complexes
silver(I), 601
2,2′-Dipyrimidyl complexes
platinum(II), 1953
Diselenolates, cobalt(III), 1023
Distibines, 2601
Disulphides, formation from thiols, 1197
Disulphide complexes
tungsten(V), 471
Disulphur dinitride, 629
Disulphur dinitride complexes
platinum(II), 1925
Ditelluride complexes
platinum(IV), 1169
3,6-Dithiaoctane complexes
rhenium(III), 1207
Dithioarsenate complexes
platinum(IV), 1855
Dithiocarbamates
gold(I),(III), 1231
iron(III), 2465
osmium(II),(III), 709
ruthenium(III), 1727,1737
silver(II), 25
technetium(V), 285
tellurium(IV), 1267
tungsten(II), 163
Dithiocarbazates
platinum(II), 1211
Dithiocarboxylate complexes
mesogenic, 1861
Dithiodiketonate
nickel(II), 2009
1,3-Dithiolane complexes
Pd(II), Pt(II), 1321
Dithiolates
cobalt(III), 1023
palladium(II), 349
rhodium(I), 379
titanium(IV), 1531
tungsten(V), 471
1,3-Dithiole-2-thione-4,5-dithiolates, rhodium(I), 379
1,3-Di-p-tolyltriazenides
ruthenium(I), 1919
1,3-Ditungstacyclobutadienes, 1015
DSC
binucleating complexes, 2703
germanium hydride polymer, 597
DTA
benzoylhydrazoneferrocene complexes, 393
iron(III) carboxylate chloride oxo water complexes, 2175
lanthanide chloride hydrazone water complexes, 1095
pyrimidine thioether complexes, 659
Dysprosium
cyclopentadienyl pentanedionates, 1095
diacetylpyridinedihydrazone nitrate water complexes, 439
diketonate pyrazolylborate, 79
pyridine thiosemicarbazone complexes, 147

E

E_A parameters, Cr(II),Mo(II), Rh(II),Ru(II,III) binuclear carboxylates, 1453
Effective atomic number rule, 254
EHMO calculations
five - coordinate hydride complexes, 405
tungsten alkylidyne allyl complexes, 871
Electric conductance
benzoylhydrazoneferrocene complexes, 393
copper(I) azole nitrile phosphine complexes, 37
copper(II) azole pyridine Schiff base complexes, 695
copper(II) cryptand amine carboxylate ether halide nitrate perchlorate complexes, 1053
crown ether - diimine ligand complexes (K,Na,Pt,Ru), 137
gold chloride phosphine cluster complex, 605
iron(III) carboxylate chloride nitrate oxo piperidide pyridine thiocyanate water complexes, 2175
lanthanide chloride hydrazone water complexes, 1095
molybdenum(IV) alkylimide chloride diphosphine complex, 2615
palladium(II) amine azo chloride diimine diphosphine nitrile pyridine cyclometallated complexes, 2659
potassium crown ether phosphonate complexes, 2753
rhenium(VII) chlorosulphate oxo compound, 705
rhodium(I) diamine diene diimine halide quinoline complexes, 1067
ruthenium(II,III) acetate ether phosphine oxide complexes, 2597
ruthenium(II,III) carboxylate chlorides, 685
ruthenium(III) bromide carbon disulphide diamine phosphine sulphoxide complexes, 1737
ruthenium(III) chloride Schiff

base complexes, 1063
thorium(IV) nitrate Schiff base complexes, 143
triphosphinoamine complexes (Ir,Pd,Pt,Rh,Ru), 29
vanadium(II) cyanide diphosphine isocyanide nitrile thiocyanate complexes, 2615
zinc azole pyridine Schiff base complexes, 695
Electric conductance (solid state)
cobalt(II) isocyanide thiocyanate rhodium(I) isocyanide polymeric complex, 741
partially oxidised rhodium(I) dithiolate halide complexes, 379
Electrochemical synthesis, copper(I) diphosphine thiolate thiophenoxide thioxanthate complexes, 49
Electron counting, polynuclear complexes, review, 253
Electronegativity, in bond energy calculations, 1677
Electronic spectra
adenosylcobalamin thermolysis, 1469
alkaline earth murexide complexes, 1227
alkene polymerisation, 2375
aromatic hydrocarbon - covalent halide - nitric oxide complexes, 97
chromium(0) carbonyl solvent complexes, 673
chromium(II) amide carboxylate ether nitrile phosphite sulphoxide binuclear complexes, 1453
chromium(III) peptide complex, 523
chromium(III) phosphoramidothioates, 557
cobalt(II) amide chloride complexes, 535
cobalt(II) amine azole chloride methanol thiocyanate water complexes, 2575
cobalt(II) antipyrine Schiff base chloride water complexes, 2149
cobalt(II) azole nitrate thioether water complex, 2591
cobalt(II) bromide hydrazine thiocyanate complexes, 1147
cobalt(II) dioxygen Schiff base water complexes, 337
cobalt(II) hexamethylphosphoramide complexes, 2135
cobalt(II) hydroxide squarate complex, 2155
cobalt(II) hydroxyquinoline complexes, 513
cobalt(II) isocyanide thiocyanate rhodium(I) polymeric complex, 741
cobalt(II) peptide complexes, 1089
cobalt(II) pyridine Schiff base thiolate complex, 2183
cobalt(III) aminoacid nitrite complexes, 1153
cobalt(III) aminoalcohol chloride complex, 1263
cobalt(III) aminopolycarboxylate ammine diamine complexes, 529
cobalt(III) chloride diamine complexes, 1159
cobalt(III) cysteine complex, 1243
cobalt(III) salicylate complex, 2731
copper(II) amine azole water complex, 2575
copper(II) amine carboxylate phenoxide water binucleating complexes, 2703
copper(II) aminoalcohol complex, 1263
copper(II) azole nitrate thioether water complexes, 2591
copper(II) azole pyridine Schiff base complexes, 695
copper(II) bispyridyldiketonate complex, 43
copper(II) bromide hydrazone pyridine complex, 1383
copper(II) carboxylate pyridine water complexes, 1745
copper(II) catecholate pyridine complex, 609
copper(II) cryptand amine carboxylate ether halide nitrate perchlorate complexes, 1053
copper(II) mepirizole oxalate water complex, 229
copper(II) pyridine Schiff base thiolate complex, 2183
copper(II) Schiff base complex, 337
gold(III) dithiocarbamate halide complexes, 1231
holmium acetonitrile phenanthroline complexes, 641
iron cyanide nitrosyl complex reaction, 1197
iron(II) amine azole porphyrin pyridine selenocarbonyl thiocarbonyl complexes, 589
iron(II) arsine carbonyl cyanide phosphine phosphite stibine complexes, 1687
iron(II) hydroxide propanol squarate complex, 2155
iron(II) phenoxide thio thiolate thiophenoxide complexes, 1911
iron(III) amine carboxylate hydroxide phenoxide water binucleating complexes, 2703
iron(III) carboxylate chloride nitrate oxo piperidide pyridine thiocyanate water complexes, 2175
iron(III) chloride Schiff base complexes, 337
iron(III) cytochrome c oxidase phthalocyanine complex, 2667
iron(III) pyridine Schiff base thiolate complex, 2183

iron(III) serine hydroxamate complexes, 747
lanthanide chloride hydrazone water complexes, 1095
lanthanide diacetylpyridinedihydrazone nitrate water complexes, 439
manganese(II) antipyrine Schiff base chloride water complexes, 2149
molybdenum(0) carbonyl diimine phosphine complex, 489
molybdenum(II) acetate diphosphine halide complexes, 1279
molybdenum(VI) oxo tropolonate complex, 1129
neodymium proline water complex, 2495
nickel(II) amine azole chloride thiocyanate water complexes, 2575
nickel(II) amine carboxylate phenoxide water binucleating complexes, 2703
nickel(II) antipyrine Schiff base chloride water complexes, 2149
nickel(II) azole nitrate thioether complex, 2591
nickel(II) chloride hydrazine thiocyanate complexes, 1147
nickel(II) hydroxide squarate complex, 2155
nickel(II) hydroxyquinoline complexes, 513
nickel(II) phenanthroline complex hydrates, 1175
nickel(II) phenoxide pyridine Schiff base complex, 2641
nickel(II) pyridine Schiff base thiolate complex, 2183
nickel(II) Schiff base water complex, 337
osmium(0) arsine halide nitrosyl complexes, 709
osmium(II) chloride dithiocarbamate nitrosyl phosphine complexes, 709
osmium(III) chloride phosphine thionitrile complexes, dithiocarbamates, 709
palladium(II) azo dye complexes, 495
palladium(II) carboxylate chloride selenoether complexes, 2477
palladium(II) chloride phosphine pyridine complex photochemistry, 207
platinum(II) alkyl diene diimine diphosphine halide phosphine pyridine terpyridyl complexes, 1953
potassium crown ether phosphonate complexes, 2753
pyrimidine thioether, 659
rhenium(II) carbonyl formamidinate phosphine triazenide complexes, 195
rhenium(III) chloride thioeter complexes, 1207
rhenium(V) acetonitrile ammine chloride diazenide dimethylformamide hyrazide phosphine pyridine complexes, 171
rhenium(V) halide oxo macrocyclic triamine complexes, 2537
rhenium(VII) chlorosulphate oxo compound, 705
rhenium(VII) halide oxo macrocyclic triamine complexes, 2537
rhodium(I) diketonate halide complexes and partially oxidised derivatives, 379
rhodium(II) amide amine azole carboxylate nitrile phosphine pyridine-N-oxide sulphoxide thioether binuclear complexes, 1453
ruthenium alkyl allyl chloride naphthoquinodimethane phosphine complexes, 1945
ruthenium(0) carbonyl diphosphine complex substitutions, 1939
ruthenium(II) alkene alkyne carboxylate hydride complexes, 1239
ruthenium(II) arsine chloride cyclopentadienyl thioamide complexes, 623
ruthenium(II) bromide diamine sulphoxide complexes, 1737
ruthenium(II) carbonyl chloride diimine palladium(II) platinum(II) complexes, 731
ruthenium(II) chloride diimine complexes, 575
ruthenium(II) diimine alkali metal complexes, 137
ruthenium(II,III) carboxylate chlorides, 685
ruthenium(II,III) oxalate propionate complexes, 1393
ruthenium(III) bromide carbon disulphide diamine diimine dithiocarbamate phosphine pyridine sulphoxide complexes, 1737
ruthenium(III) chloride diimine complexes, 575
ruthenium(III) chloride Schiff base complexes, 1063
silicon methyl semicarbazone thiosemicarbazone complexes, 151
silver amine chromate diimine nitrate complexes, 601
sodium crown ether ruthenium(II) complexes, 137
technetium(V) arsine halide nitride phosphine complexes, 285
tin(IV) formate hydroxide porphyrin complexes, 2225
tungsten(V) cyanide disulphide dithiolate oxo thio binuclear complexes, 471
vanadium(II) bromide ether binuclear complexes, 737
vanadium(III) oxo Schiff base water complexes, 2635
vanadium(III) phosphoramidothi-

oates, 557
vanadium(IV) alanine oxo complexes, 1245
vanadium(IV) oxo Schiff base complexes, 2635
zinc azole pyridine Schiff base complexes, 695
Electronic spectra (difference)
iron(III) cytochrome c oxidase phthalocyanine complex, 2667
Electron microscopy
gold chloride phosphine cluster complex, 605
high nuclearity clusters, 2321
nickel tungsten sulphide, 2405
niobium(V) ternary oxides, 2393
Enthalpy of activation
adenosylcobalamin thermolysis, 1469
bond dissociation, cobalt(II) diketonates, 421
C-C bond formation, tungsten(V) complexes, 1015
chromium(VI) - methionine reaction, 11
configurational interconversions, cobalt(II) phosphine oxide complexes, 2135
cyclometallated ligand reactions, 919
cyclometallation, 1409
fluxionality, Pd(II), Pt(II) chloride thioether complexes, 1321
insertion reactions, oxidative additions, reductive eliminations, 1429
M-C, M-H bond dissociation, 1491
metal - metal bond breaking, chromium(I) carbonyl cyclopentadienyl complex, 1965
substitutions, chromium carbonyl, 1619
substitutions, ruthenium(0) carbonyl diphosphine complex, 1939
Enthalpy of bond dissociation
cobalt(II) diketonates, 421
Enthalpy of formation
binuclear carboxylates, 1453
cadmium halide complexes, 2129
cobalt(II) dicarboxylate complexes, 203
cobalt(II) diketonates, 421
zinc halide complexes, 2129
Enthalpy of solution
uranium(IV) alkenyl alkyl alkynyl cyclopentadienyl iodide complexes, 1517
Entropy of activation
addition reactions, rhodium(II) porphyrin, 1545
adenosylcobalamin thermolysis, 1469
C-C bond formation, tungsten(V) complexes, 1015
chromium(VI) - methionine reaction, 11
configurational interconversions, cobalt(II) phosphine oxide complexes, 2135
cyclometallated ligand reactions, 919
cyclometallation, 1409
fluxionality, Pd(II), Pt(II) chloride thioether complexes, 1321
metal - metal bond breaking, chromium(I) carbonyl cyclopentadienyl complex, 1965
substitutions, chromium carbonyl, 1619
substitutions, cobalt(III) chloride diamine complexes, 1159
substitutions, ruthenium(0) carbonyl diphosphine complex, 1939
Entropy of formation
cadmium halide complexes, 2135
cobalt(II) dicarboxylate complexes, 203
zinc halide complexes, 2135
Erbium
cyclopentadienyl pentanedionate, 1095
diacetylpyridinedihydrazone nitrate water complexes, 439
ESR spectra
cobalt(II) dioxygen Schiff base water complexes, 337
cobalt(II) isocyanide thiocyanate rhodium(I) polymeric complex, 741
copper(II) amine azole water complex, 2575
copper(II) azole nitrate thioether water complexes, 2591
copper(II) azole pyridine Schiff base complexes, 695
copper(II) bromide hydrazone pyridine complex, 1383
copper(II) carboxylate pyridine water complexes, 1745
copper(II) cimetidine complexes, 307
copper(II) cryptand amine carboxylate ether halide nitrate perchlorate complexes, 1053
copper(II) salicylhydrazide Schiff base complex, 543
iron cyanide nitrosyl complex reaction, 1197
iron nitrosyl thiolate reactions, 1371
iron(II) phenoxide thio thiolate thiophenoxide complexes, 1911
manganese(II) biuret halide complexes, 1861
molybdenum amine azole iodide nitrosyl complexes, 1931
molybdenum(V) chloride complex, 2027
rhenium(II) carbonyl formamidinate phosphine triazenide complexes, 195
rhenium(VI) aryl oxo complexes, 1079
rhodium(I) [and partially oxidised] dithiolate halide

complexes, 379
rhodium(II) carbonyl carboxylate spin label complexes, 1453
ruthenium(III) arsine halide triphosphinoamine complexes, 29
ruthenium(III) bromide diamine diimine pyridine sulphoxide complexes, 1737
ruthenium(III) chloride Schiff base complexes, 1063
semiquinone radical complex, 2429
silver(II) dithiocarbamate pyridine complexes, 25
vanadium(II) cyanide diphosphine isocyanide nitrile thiocyanate complexes, 2615
vanadium(IV) alanine oxo complexes, 1245
vanadium(IV) oxo Schiff base complexes, 2635
1,2-Ethanedithiolate complexes
palladium(II), 349
Ethanethiolate complexes
iron, 1371
Ti(IV), W(IV), 1531
Ethanol, solvent effects, 2135
Ethanol complexes
chromioum(0), 1619
Ethanolamine, reaction with cobalt(III) complex, 1159
Ethene
hydroformylation, 2351
reaction with Tc(VII) complex, 1981
Ethene complexes
iron(0), 1605
molybdenum(0), 1831
osmium, 1891
platinum(0), 1349
tungsten(0), 1831
Ethenyl complexes
rhodium(I), 1001
Ether complexes
barium, calcium, 725
chromium(0), 1619
chromium(II), 1453
copper(II), 1053
lanthanides, 2307
lithium, 2515
magnesium, 1079
molybdenum(II), 1453
niobium(V), 2217
osmium, 1035
potassium, 2307
rhenium(I), 1363
rhenium(VI), 117
rhodium, 2345
ruthenium(II,III), 2597
samarium, 1693
sodium, 2307
strontium, 725
tin(IV), titanium(IV), 2655
uranium(IV), 249
vanadium(II), 737
Ethoxides
molybdenum(II), 103
niobium(V), 2217
rhenium(V), 329
2-Ethoxyethoxides
Mo(II), W(II), 449
Ethyls
aluminium, 1901,2119
antimony(III), 2601
gallium, indium, 1289
lithium, 2119
molybdenum(II), 1491
rhodium(III), 827
Ethylamide, molybdenum(II), 103
Ethylamine complex
tantalum(V), 67
Ethylenebis(salicylaldimine) complexes, iron(II), 425
Ethylenebis(selenoglycollate) palladium(II), 2477
Ethylenebis(tetrahydroindenyl) complexes, zirconium, 2375
Ethylenediamine complexes
cobalt(III), 529,1159
rhodium(I), 1067
Ethylenediamine Schiff base complexes, ruthenium(III), 1063
Ethyleneglycolate complexes
Pd(II),Pt(II), 349
Ethylenetrithiocarbonate complexes, Cd,Hg,Zn, 2503
Ethylhydrazine complexes
Cd,Co(II),Ni(II),Zn, 1147
Ethylimide complexes
molybdenum(IV), 2615
tantalum(V), 67
7-(4-Ethyl-1-methyloctyl)-8-hydroxyquinoline complexes, cobalt(II), nickel(II), 513
4-Ethylpyridine complexes
iron(II), 425
Ethylselenoglycollate
palladium(II), 2477
Ethyne complexes
cobalt, 2345
molybdenum(III), 903
rhodium, 2345
tungsten(III), 903
Europium
diketonate pyrazolylborate complex, 79
EXAFS
iron molybdenum carbonyl thio complexes, 2411
iron rhodium carbonyls, 2351

F

Fenske - Hall calculations, molybdenum(III), tungsten(III) alkoxide alkyne pyridine complexes, 903
osmium carbonyl chloride phosphide complexes, 1759
"piano - stool" dimers, 943
ruthenium carbonyl chloride phosphide complexes, 1759
Ferrihydrite, 385
Ferrocene derivatives, complexes of, lanthanides, 1095
Fischer carbene complexes
osmium, ruthenium, 1035
Five - coordination, molecular orbitals, 405
Flufenamate complexes
copper(II), 1745
Fluorescence spectra
neodymium proline water

complex, 2495
palladium(II) chloride phosphine pyridine complex photochemistry, 207
Fluorides and fluoro complexes
antimony(V), 1221
Kr(II), Mn(II), 1217
molybdenum(V), 1135
silicon, 1773
titanium(IV), 1221
tungsten(V), 2015
Fluorine chemistry, book review, 169
Fluorobenzene complexes
chromium(0), 1377
Fluorobiphenyl complexes
chromium(0), 409
Fluorophenylcyclopentadienyl complexes, manganese(I), 409
Fluxional behaviour
alkenyl hydride complexes, 1001
carbonyl cyclopentadienyl complexes, 759
carbyne, ketenylidene complexes, 807
germyl complexes, 2209
osmium ketene complexes, 791
platinum(II) alkyl aryl diphosphine halide complexes, 2695
platinum(IV) ditelluride halide methyl complexes, 1169
polyphosphine complex, 2035
selenium rings, 581
tetranuclear heteropolymetallic clusters, 2271
thiocarbamate complexes, 483
thioether complexes, 1321,1329
timescales in structure determination, 2549
trinuclear clusters, 2297
zirconium allyl cyclopentadienyl diene oxycarbene heteronuclear complexes, 2451
Force constants, carbonyls, 409, 673,1377
Formamide, solvent effects, 2135
Formamidinate complexes
rhenium(I),(II), 195
Formate, tin(IV), 2225
Formation constants
actinide(III) carbonate complexes, 573
alkaline earth murexide complexes, 1227
binuclear carboxylates, 1453
cadmium halide complexes, 2129
cadmium nitrite complexes, 213
cerium(III) hydroxide complexes, 1355
chloride complexes, 2129,2473
cobalt(II) amide chloride complexes, 535
cobalt(II) aminopolycarboxylate complexes, 1187
cobalt(II) dicarboxylate complexes, 203
cobalt(II) hydroxyquinolate complexes, 513
copper(II) aminopolycarboxylate complexes, 1187
copper(II) hydroxynaphthoate complexes, 1335
copper(II) peptide complexes, 1089
copper(II) picolinate complexes, 689
effect of supporting ions, 291
indium(III) hydroxide thiolactate complexes, 5
iron(II) amine azole porphyrin selenocarbonyl thiocarbonyl complexes, 589
iron(III) halide nitrate perchlorae sulphate complexes, 291
iron(III) serine hydroxamate complexes, 747
lanthanide diketonate dipyridyl pyridine complexes, 155
lanthanide pyridine thiosemicarbazone complexes, 147
manganese(II) mercapto(phenyl) propenoate complexes, 331
mercury nitrite complexes, 213
nickel(II) aminopolycarboxylate complexes, 1187
nickel(II) hydroxyquinoline complexes, 513
palladium(II) azo dye complexes, 495
palladium(II) carboxylate chloride selenoether complexes, 2477
potassium crown ether, cryptand complexes, 721
selenium(IV) heteropolymolybdates, 1131
silicon fluoride hydroxide complexes, 1773
thallium(III) aminoacid methyl complexes, 2487
vanadium(IV) alanine oxo complexes, 1245
zinc halide complexes, 2129
zinc hydroxynaphthoate complexes, 1335
zinc nitrite complexes, 213
zinc peptide complexes, 1089
zinc picolinate complexes, 689
Formyl complexes
Cr(-I), Fe(-I), Mo(-I), 1609
rhodium(III), 1545
tungsten(-I), 1609
Free energy of activation
C-C bond formation, tungsten(V) complexes, 1015
fluxionality, alkenyl hydride complexes, 1001
fluxionality, carbonyl cyclopentadienyl complexes, 759
fluxionality, germyl complexes, 2209
fluxionality, palladium(II), platinum(II) chloride thioether complexes, 1321
fluxionality, platinum(IV) ditelluride methyl complexes, 1169
M-M bond breaking, chromium(I) carbonyl cyclopentadienyl complex, 1965
substitution, cobalt(III) chloride diamine complexes, 1159
Free energy of formation
cadmum halide complexes, 2129

cadmium nitrite complexes, 213
cobalt(II) carboxylate complexes, 203
mercury nitrite complexes, 213
zinc halide complexes, 2129
zinc nitrite complexes, 213
2-Furaldehyde semicarbazone, semicarbazone complexes, silicon, 151
Furfurylamine, reaction with cobalt(III) complex, 1159

G

Gadolinium
cyclopentadienyl pentanedionates, 1095
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolyborate, 79
pyridine thiosemicarbazone complexes, 147
Gallium
alkyl phosphido compound, 1901
alkyl phosphine complexes, 1289
organo compounds, book review, 587
phenoxide Schiff base complex, 2723
Germanium
fluoride - aromatic hydrocarbon - nitric oxide complexes, 97
hydride polymer, 597
phenoxide Schiff base complex, 2723
Germyl complexes
rhenium, 2209
Glucosamine, reaction with cobalt(III) complex, 1159
Glutathione, reaction with $[Fe(CN)_5NO]^{2-}$, 1197
Glycinate complexes
cobalt(III), 1153
thallium(III), 2487
Glycol → alkene conversion, 1981
Glycol sulphite complexes
chromium(0), 673
Glycolates
Re(V),(VII), Tc(V),(VII), 1981
Glycylcysteinate complexes
cobalt(II), zinc, 1089
Glycylglycinate complex, chromium(III), 523
Glyoxalbis(i-propylimine) complexes, osmium, 931
Gold
chloride phosphine cluster complexes, 605,2317,2321
cluster compounds, 269
halide phosphine silver clusters, review, 2317
Gold(I)
chloride pyridine mesogenic compounds, 1861
cyanide phosphine iridium(III), rhodium(III) complexes, 651
dithiocarbamates, 1231
Gold(III)
chloride pyrimidine thioether complex, 659
dithiocarbamate halide complexes, 1231
dithiocarboxylate halide mesogenic compounds, 1861

H

Haematite, 385
Hafnium
alkoxide amido carbonyl cyanide hydride hydrosulphide hydroxide methyl phosphido silyl complexes, 1625
alkoxide carboxylate glycolates, 2165
alkyl chloride cyclopentadienyl hydride phenyl cyclometallated complexes, 1409
allyl cyclopentadienyl diene oxycarbene heteronuclear complexes, 2451
carbonyl cyclopentadienyl hydride ruthenium complex, 759
perchlorate, 345
Hafnoxycarbene complexes
ruthenium, 759
Heptafluorobutyrate
rhodium(II), 1453
1-Heptene, 1827
Heteronuclear clusters, 2251
Heteropolyborane anions, 17,187
Heteropolymolybdates, 1131
Heteropolytungstates, 477
Hexaethylbenzene complex
molybdenum(II), 2027
Hexafluorobarrelene complexes
osmium(0), ruthenium(0), 931
Hexafluoro-t-butoxides
rhenium(VII), 1841
Hexafluorobut-2-yne complex
rhodium(I), 859
Hexafluoro-i-propoxides
rhenium(VII), 1841
1,1,4,7,10,10-Hexakis(3,5-dimethyl-1-pyrazolylmethyl)-1,4,7,10-tetraazadecane complexes, 2575
Hexamethylbenzene, covalent halide nitric oxide complexes, 97
Hexamethyldisiloxane, 579
Hexamethylenetetramine complexes
silver(I), 601
Hexamethylphosphoramide complexes
chromium(0), 673
chromium(II), 1453
cobalt(II), 535,2135
thallium, 2561
1,1,4,6,9,9-Hexaphenyl-1,4,6,9-tetraphosphanonane complexes, Al, Ga, In, 1289
Hexasulphide (S_6^{2-}) complex
platinum(IV), 1801
1-Hexene, 1827
1-Hexene complexes
chromium(0), 1619
ruthenium(II), 1239
5-Hexen-2-one, 1827
1-[&2-]Hexenyl complexes
rhodium(I), 1001
1-Hexyne complexes
ruthenium(II), 1239
HFS (Xα) calculations,
azaphosphaallenes, 2213
metal - ligand bond strengths, 1625
High nuclearity clusters, 2317,

2321
Histamine, histidine methyl ester Schiff base complexes, copper(II), zinc, 695
Holmium
acetonitrile phenanthroline complexes, 641
diacetylpyridinedihydrazone nitrate water complexes, 439
diketonate pyrazolylborate, 79
pyridine thiosemicarbazone complexes, 147
HPLC, aluminium diketonates, 369
HREM
high nuclearity clusters, 2321
nickel tungsten sulphide, 2405
niobium(V) ternary oxides, 2393
Hydration, nickel(II)
phenanthroline complex, 1175
Hydrazide complexes
rhenium(V), 171
Hydrazine complexes
Cd, Co(II), Ni(II), 1147
rhodium(III), 2087
zinc, 1147
Hydrazobenzenes, 425
Hydrazone complexes
copper(II), 1383
lanthanides, 439,1095
Hydride complexes
chromium(II), 1965
cobalt, 2369
cobalt(I), 1625
gaseous, 1573
hafnium, 759,1409,1625
iridium(III), 187,1429,1781
manganese(I), 1605
molecular orbitals, 405
molybdenum(II), 1491
molybdenum(III), 2715
niobium, 1645
niobium(I), 1819
osmium, 961,979,1035,1891,2399, 2421
osmium(II), 1781
rhenium, 2421
rhenium(I), 2543
rhodium, 561
rhodium(I), 1001
rhodium(III), 1545,1827
ruthenium, 979,1035,1045,2331, 2341,2369
ruthenium(II), 1239,1441,1781, 2031
tantalum, 1645,2053
titanium(IV), 1625
tungsten(IV), 2053
vanadium, 1645
zirconium, 759,1625
Hydride transfer reactions
carbonyls, 1609
Hydrodesulphurisation catalysis, 2405,2411
Hydrogenation catalysts
palladium analysis, 495
Hydrogen sulphide, reaction with $[Fe(CN)_5NO]^{2-}$, 1197
Hydrosilylation, silatrane, 2189
Hydrosulphide complexes
Co(I), Hf, 1625
iron, 1371
Pt(II), Ru(II), 1441
Ti(IV), Zr, 1625
Hydrotris(3,5-dimethylpyrazol-yl)borate complexes, Mo, 1931
Hydrotris(pyrazol-1-yl)borate complexes, lanthanides, 79
Hydroxamate complexes
iron(III), 747
Hydroxides and hydroxo complexes
cerium(III), 1355
chromium(III), 2703
cobalt(I), 1625
cobalt(II), 2155
copper(II), 1187
hafnium, 1625
indium(III), 5,2091
iron(II), 2155
iron(III), 2703
molybdenum(II), 103
molybdenum(VI), 2709
nickel(II), 2155
osmium, 1035
platinum(II), 1441
ruthenium, 1045
ruthenium(II), 1441
silicon, 1773
silver(III), 2753
tantalum(V), 2053
tellurium(IV), 1267
tin(IV), 2225
titanium(IV), 1625
tungsten(IV), 2053
tungsten(VI), 2709
zirconium, 1625
2′-Hydroxyacetophenone Schiff base complexes, thorium, 143
2′-Hydroxyacetophenone semicarbazone, thiosemicarbazone complexes, tellurium(IV), 633
Hydroxylamine complexes
nickel(II), 2233
ω-Hydroxyalkoxides, molybdenum(II), tungsten(II), 449
2-α-Hydroxybenzylbenzimidazole complex, copper(II), 323
2-Hydroxybenzylmercaptan complexes, iron(II), 1911
Hydroxycarboxylates
cobalt(III), 2731
Mo(VI), W(VI), 2709
2-Hydroxyethoxide
molybdenum(II), 103
α-Hydroxyketone complexes, 1973
2′-Hydroxy-1-naphthaldehyde Schiff base complexes, thorium, 143
Hydroxynaphthoate complexes
copper(II), zinc, 1335
2-(2-Hydroxyphenyl)ethylmercaptan complexes, iron(II), 1911
2′-Hydroxypropiophenone complex
copper(II), 543
3-Hydroxypyrid-4-one complex
iron(III), 2235
8-Hydroxyquinoline complexes
cobalt(II), 513
copper(I), 37
lithium, 1
nickel(II), 513
potassium, sodium, 1

I

Imidazole, reaction with
cobalt(III) complex, 1159

Imidazole complexes
copper(I), 37
iron(II), 589
Imidobenzoate complex
rhenium(V), 329
Imine complexes
molybdenum, 919
osmium, 931
Iminium complexes
osmium, 967
Imino-oxo-phosphorane
rearrangements, 223
Indenyl complexes
iron, rhenium, 443
tungsten(III), 1991
Indium(III)
alkyl phosphine complexes, 1289
alkylstibide chloride, 77
hydroxide methyl phosphonate complexes, 2091
hydroxide thiolactate complex, 5
phenoxide Schiff base complex, 2723
polysalicylaldimine complexes, 1881
Indole-3-carboxaldehyde semicarbazone, thiosemicarbazone complexes, silicon, 151
Iodides and iodo complexes
cadmium, 2129,2503
copper(I), 2583
mercury, 2503
iridium(III), 1429
iron, 1371
manganese(I), 1605
molybdenum, 1931
molybdenum(I), 235
molybdenum(II), 235,1491,1719
molybdenum(IV), 1531
osmium, 791
platinum(II), 1953,2695
platinum(IV), 1169
rhenium(III), 1667,2743
rhenium(V),(VII), 2537
rhodium(I), 379
ruthenium(II), 2627
samarium, 1693
thallium, 2561
titanium(IV), 1531
tungsten(II), 63,245,2769
tungsten(IV), 1531,2053
uranium(IV), 249,1517
zinc, 2129,2503
Ion pairing, 2429
IR spectra
acyls, 1891
alcohol complexes, 2155
alkoxides, 103,1363,1389,2165, 2217
alkylamides, 67,103
alkylimides, 67
alkylphosphido compound, 1901
alkyne complexes, 63,2769
allyl complexes, 1719
amide complexes, 171
amine complexes, 67,117,297 601,1053,1067,1931
aminoalcohols, 1263
aminopolycarboxylates, 529
aryls,1079
arylamide, 103
arylammonium salts, 2015
arylimides, 117,329,2015
atranes, 679
azole complexes, 37,219,1273, 1931,2575
benzoylhydrazone complexes, 393
bis(dimethylsulphoxide)protium, 2143
bromides, 29,659,1053,1067, 1147,1231,1725,1737,2503, 2561,2611,2743
carbene complexes, 759
carbon disulphide complexes, 2615
carbonyls, 29,63,163,195,219, 409,417,449,489,673,709,731, 759,837,881,979,1363,1377, 1401,1453,1719,1751,1793, 1891,1919,1965,2027,2039, 2239,2351,2369,2387,2421, 2521,2715,2743,2769
carboxylates, 103,329,685,695, 1053,2165,2175,2597,2703, 2715
carboxylic acid complexes, 1
chlorides, 29,67,117,295,329, 633,659,685,709,731,1053, 1063,1067,1139,1147,1231, 1363,1727,2027,2143,2175, 2183,2503,2509,2561,2655, 2659,2743
chlorosulphate, 705
chromates, 601
cimetidine complexes, 307
creatinine complexes, 1273
crown ether complexes, 2761
cryptand complexes, 1053
cyanides, 471,651,2615
cyclopentadienyls, 393,1095, 1221,2743
diimine complexes, 601,731, 1175,2659
diketonates, 43,353,1389
dimethylurea, 505
diolate, 2001
diphenylcarbazone complexes, 401
diphosphine complexes, 2659
disulphide complexes, 471
dithiocarbamates, 709,1231, 1267,1737,2465
dithiolate complexes, 471
esters, 695
ether complexes, 117,249,1053, 1079,2597,2655
fluorides, 1221,2015
formamidinates, 195
germanium hydride polymer, 597
glycolates, 2165
heteropolyborate anion, 187
hexafluorophosphates, 1751
hydrates, 557,1053,1175
hydrazide complexes, 171
hydrazine complexes, 1147
hydrazone complexes, 439,1095
hydride complexes, 187,2031, 2715
hydroxides, 103,2155
imine complexes, 919
iodides, 2503,2561,2743
isocyanide complexes, 315,1693, 1751,1767,1831,2615
ketene complexes, 791
ketoimine complexes, 2569

macrocyclic complexes, 2531
maltol complexes, 1973
nitrates, 143,439,1053,2175
nitride complexes, 285
nitrile complexes, 37,919,2615, 2627,2659,2769
nitrosyls, 103,235,443,449,1931
oxalates, 37,229
oxo complexes, 117,401,471,705, 1079,1129,1841,1973,2053, 2175,2221,2537,2569,2635
peptide complex, 523
perchlorates, 439,1053,1267, 2659,2703
peroxide complex, 187
peroxodiphosphates, 1305
phenoxides, 337,2641,2703
phosphine complexes, 489,561
phosphine oxide complexes, 2561,2597
phosphonate complexes, 2095, 2761
phosphoramidothioates, 557
piperidide complexes, 2175
pyrazole complex, 229
pyrazolylborates, 449
pyridine complexes, 43,439, 2175,2183
pyridine-N-oxide complexes, 1, 2561
pyrimidine complex, 229
pyrimidine thioether complexes, 659
Schiff base complexes, 143,337, 695,1063,2149,2183,2229,2569, 2635,2641,2715
selenocarbonyls, 589
semicarbazone complexes, 151, 633,1719
silatranes, 2189
squarate complexes, 2155
sulphate, 307
sulphoxide complexes, 29,1727, 1737,2143,2627
sulphur - nitrogen ligand complexes, 647
tetrafluoroborates, 37,2597, 2769
thio complexes, 83,471
thioamide complexes, 623
thiocarbamates, 483
thiocarbonyls, 589,2627
thiocyanates, 1147,2175,2615
thiodiketonates, 483
thiolates, 2183,2509
thione complexes, 2503
thionitrite, 709
thionylimide, 629
thiosemicarbazone complexes, 151,633
thiourea complexes, 219
thioxanthates, 1121
triazenides, 195
triflatogermyl complex, 2209
tropolonate complex, 1129
water complexes, 229,337,439, 1095,2575,2703

Iridium
carbonyl iron complexes, 2351

Iridium(I)
carbonyl triphosphinoamine complex, 29
diene polyphosphine complex, 2035

Iridium(III)
acetonitrile methyl phosphine complex, 1285
alkyl cyclopentadienyl halide hydride phenyl phosphine vinyl complexes, 1429
alkyl phosphine complex, 2171
aryl halide phosphine metallated complexes, 87
benzotriazole hydride phosphine complexes, 1781
chloride cyanide phosphine gold(I) complexes, 651
chloride sulphoxide complex, 2143
diphosphine hydride peroxide complexes, 187
hydride complexes, 405
triazenide complexes, 417

Iridium(IV)
hexachloro-, oxidant, 827

Iron
acyl carbonyl phosphine zirconium complexes, 2451
alkenyl allylphosphidoxo carbonyl complexes, 2285
alkylidyne carbonyl indenyl nitrosyl rhenium, ruthenium complexes, 443
alkynyl carbonyl phosphido molybdenum, nickel, tungsten complexes, 1045
arylimido carbonyl complexes, 2331
carbide carbonyl heteropolymetallic complexes, 2351
carbonyl hydride ruthenium complexes, 2387
carbonyl thio molybdenum complexes, 2411
chromate halide hydrosulphide nitrite nitrosyl pseudohalide sulphate thiolate thiomolybdate complexes, 1371
cyanide nitrosyl thio thiolate complexes, 1197
gaseous organo- and other ions, 1583
methylidyne trinuclear complexes, review, 847

Iron(-I)
carbonyl formyl complexes, 1609

Iron(0)
alkene carbonyl complexes, 1605

Iron(I)
carbonyl cyclopentadienyl complex, 944

Iron(II)
allyl carbonyl chloride diimine pyridine Schiff base complexes, 425
amine azole porphyrin pyridine selenocarbonyl thiocarbonyl complexes, 589
arene cyclopentadienyl complexes, 2685
arsine carbonyl cyanide phosphine phosphite stibine complexes, 1687
carbonyl cyclopentadienyl methylene complex, 944
cyclopentadienyl heterobimet-

allic complexes, 393,1925, 2441
hydroxide propanol squarate complex, 2155
phenoxide thio thiolate thiophenoxide complexes, 1911
Iron(III)
amine carboxylate hydroxide phenoxide water binucleating complexes, 2703
carbonyl cyclopentadienyl methylidyne nitrosyl complexes, 949
carbonyl cyclopentadienyl vinylcarbyne complexes, 881
carboxylate chloride nitrate oxo piperidide pyridine thiocyanate water complex, 2175
chloride, oxidant, 827
chloride hydrocarbon nitric oxide complexes, 97
chloride pyridine complexes, 425
chloride pyridine Schiff base thiolate complex, 2183
chloride Schiff base complexes, 337
cyctochrome c oxidase phthalocyanine complex, 2667
dithiocarbamate halide complexes, 2465
in heteropolytungstates, 477
3-hydroxypyrid-4-one complex, 2235
maltol complex, 1973
oxide hydrate, 385
serine hydroxamate complexes, 747
Isocyanates, alkyl, reactions catalysed by Ru complexes, 2341
Isocyanide complexes
cobalt(II), 741
molybdenum(0), 1831
molybdenum(IV), 1767
osmium, 791
rhodium(I), 741
rhodium(II), 315,1751
samarium, 1693
tungsten(0), 1831
tungsten(IV), 1767
vanadium(II), 2615
Isomerism
aluminium diketonates, 369
molybdenum(II) chloride diphosphine complexes, 463
Isopolymolybdate, 2605
4R,5R-O-Isopropylidene-2,3-dihydro-1,4-bis(diphenylphosphino)-butane complexes, rhodium(I),(III), 1827

J

Jaeger complexes
nickel(II), 2197
Jahn - Teller effects, five - coordinate hydride complexes, 405
Judd - Ofelt parameters
holmium acetonitrile phenanthroline complexes, 641
neodymium proline water complex, 2495

K

Kelex 100 complexes
Co(II),Ni(II), 513
Ketene complexes
osmium, 791
Ketenylidene complexes
heteropolynuclear, 807
Ketoimine complexes
molybdenum(VI), 2569
Ketone complexes
chromium(0), 1619
osmium, 979
ruthenim(II,III), 1453
silver, 1299
thorium, 1807
Ketooximates, nickel(II), 2233
Kinetic studies
alcohol photooxidation with heteropolytungstates, 477
alkane hydroxylation with iron(III) compounds and hydrazobenzenes, 425
C-C bond formation, tungsten(V) complexes, 1015
complex formation, cobalt(II) - dicarboxylates, 203
complex formation, cobalt(II), nickel(II) - 8-hydroxyquinolines, 513
complex formation, iron(III) serine hydroxamate, 747
complex formation, molybdenum(VI), tungsten(VI) - malic acid, 2709
fluxionality, platinum(IV) ditelluride halide methyl complexes, 1169
fluxionality, tungsten(IV) cyclopentadienyl hydride oxo complexes, 2053
ligand reactions, cyclometallated complexes, 919
ligand reactions, thiols and $[Fe(CN)_5NO]^{2-}$, 1197
redox, chromium(VI) - methionine, 11
redox, nitrite - $[W(CN)_8]^{4-}$, 2193
redox, silver(III) - thiourea, 2753
substitution, chromium(0) carbonyl complexes, 1619
substitution, cobalt(III) chloride diamine complexes, 1159
substitution, ruthenium(0) carbonyl diphosphine complex, 1939
substitution, ruthenium(II,III) oxalate propionate complexes, 1393
thermolysis, adenosylcobalamin, radical trapping, 1469
Krypton(II) fluoride, fluoro complexes, 1217

L

Lanthanides
alkyl arsenido azide chloride cyclopentadienyl ether phosphido selenophenoxide silyl thiolate alkali metal complexes, review, 2307
chloride hydrazone water complexes, 1095
cyclopentadienyl pentanedionates, 1095
diacetylpyridinedihydrazone nitrate water complexes, 439
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborates, 79
pyridine thiosemicarbazone complexes, 147
Lanthanum
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborates, 79
gaseous organo- ions, 1583
pyridine thiosemicarbazone complexes, 147
Laser powered homogeneous pyrolysis, 1605
Lead(II)
dibutylphosphido methyl compounds, 1909
phosphoramidothioates, 557
Lead(IV) phenyl vanadium(-I) complex, 2039
n-[&l-]Leucinate complexes
cobalt(III), 1153
Ligand field potentials, trigonal complexes, 1705
Ligand synthesis and reactions
amine crown ether Schiff base thioether, 2649
aminoalcohols, 1263
aminobenzaldehyde condensation, 2715
aminopolycarboxylates, 1187
arene cyclopentadienyl complexes, 2685
benzoylhydrazoneferrocene, 393
bispyridyldiketones, 43
crown ether - diimine, 137
cryptate Schiff base, 2229
cyclopentadienyls, 1409
diphosphine, 463
fluorophenylcyclopentadienes, 409
Jaeger type Schiff base complexes, 2197
ketooximates, 2233
napthoquinonedimethane, 1945
phenoxide, 1911
quinaldic acid-N-oxide, 1
salicylaldehyde Schiff base, 543
salicylaldimine, 2723
salicylaldimine thiosemicarbazide, 2641
terpyridyl Schiff base, 2531
thioethers, 1321,1329
thiolates, thiophenoxides, 1911
4,4',4''-tri-t-butylterpyridine, 575
triphosphinoamine, 29
Liquid crystals, metal complexes, 1861
Lithium
alkyls, 2023,2119
alkyl arsenide diamine ether phosphido selenophenoxide thiolate complexes, 2307
alkylamide ether zirconium complex, 2515
alkylamide molybdenum(II) complex, 399
carboxylic acid hydroxyquinoline phenoxide pyridine-N-oxide complexes, 1
cryptand complexes, 1341
diamine diolate oxo Mn(III) complex, 2001
pyridine pyridyl complexes, 665
semiquinone complex, 2429
Lutetium
diacetylpyridinedihydrazone nitrate water complexes, 439
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborates, 79
2,6-Lutidine complexes
chromium(0), 1619
3,4-Lutidine complexes
iron(II), 589

M

Macrocyclic complexes
molybdenum(III), 2715
nickel(II), 2531
rhenium(V),(VII), 2537
silver, tin(IV), 2531
Magnesium
alkoxide diketonate oxo aluminium complexes, 1389
ether oxo rhenium(V) complexes, 1079
murexide complexes, 1227
organo- ions, 1583
Magnetic anisotropy
molybdenum(II) chloride diphosphine complexes, 1673
Magnetic moments
chromium(I) carbonyl cyclopentadienyl diphosphine phosphine complexes, 1965
chromium(II) carboxylate complexes, 1453
cobalt(II) dioxygen Schiff base water complexes, 337
cobalt(II) hydroxide squarate complex, 2155
cobalt(II) pyridine Schiff base thiolate complex, 2183
copper(II) alcohol alkoxide azole binuclear complex, 323
copper(II) azole pyridine Schiff base complexes, 695
copper(II) carboxylate pyridine water complexes, 1745
copper(II) catecholate pyridine complex, 609
copper(II) cryptand amine carboxylate ether halide nitrate perchlorate complexes, 1053

copper(II) mepirizole oxalate water complex, 229
copper(II) pyridine Schiff base thiolate complex, 2183
copper(II) salicylhydrazide Schiff base complex, 543
copper(II) Schiff base complex, 337
iron(II) hydroxide propanol squarate complex, 2155
iron(III) amine carboxylate hydroxide phenoxide water binucleating complexes, 2703
iron(III) carboxylate chloride nitrate oxo piperidide pyridine thiocyanate water complex, 2175
iron(III) chloride pyridine Schiff base thiolate complex, 2183
iron(III) chloride Schiff base complexes, 337
iron(III) dithiocarbamate halide complexes, 2465
nickel(II) amine carboxylate phenoxide water binucleating complexes, 2703
nickel(II) hydroxide squarate complex, 2155
nickel(II) macrocyclic complex, 2531
nickel(II) Schiff base water complex, 337
rhenium(II) carbonyl formamidinate phosphine triazenide complexes, 195
rhenium(III) chloride thioether complexes, 1207
rhodium(II) carboxylate, 1453
ruthenium(II) carbonyl triazenide complexes, 417
ruthenium(II,III) acetate ether phosphine phosphine oxide complexes, 2597
ruthenium(III) alcohol carbon disulphide chloride diimine pyridine sulphoxide complexes, 1727
ruthenium(III) bromide carbon disulphide phosphine pyridine sulphoxide complexes, 1737
ruthenium(III) chloride Schiff base complexes, 1063
vanadium(II) cyanide diphosphine isocyanide nitrile thiocyanate complexes, 2615
Magnetite, 385
Malate complexes
Mo(VI), W(VI), 2709
Maltol complexes, 1973
Mandelate, hafnium, 2165
Manganese coordination compounds, book review, 501
Manganese(0)
carbonyl, 1605
carbonyl cyclohexadienyl complexes, 2255
Manganese(I)
acyl alkyl carbonyl halide hydride phenyl complexes, 1605
allyl carbonyl phosphido phosphite molybdenum(II) complexes, 987
carbonyl cyclopentadienyl phosphine phosphite complexes, 409
Manganese(II)
antipyrine Schiff base chloride water complexes, 2149
benzoylhydrazone chloride iron(II) complexes, 393
biuret halide complexes, 1961
carbonyl cyclopentadienyl methylene complex, 946
chloride complexes, 2473
diketonate pyridine complexes, 43
mercapto(phenyl)propenoate complexes, 331
Manganese(III) methyl oxo lithium complex, 2001
Manganese(IV) fluoride and fluoro complexes, 1217
Mass spectra
alkyls, alkylamides, alkylimides, 1583
antimony(V) fluoride titanium(IV) cyclopentadienyl complex, 1221
bond dissociation energy measurement, 1573
carbaboranes, 669
carbenes, 1583
copper(II) perchlorate, 345
dilithiodialkylmethanes, 2023
distibines, 2601
Fourier transform, 1583
germanium hydride, 597
hafnium perchlorate, 345
hydrides, 1583
lanthanide cyclopentadienyl pentanedionates, 1095
macrocyclic complexes, 2531
molybdenum alkylamido amine halide nitrosyl pyrazolylborate complexes, 1931
molybdenum(II) alkoxide chloride nitrosyl pyrazolylborate complexes, 449
osmium(VI) aryl oxo complexes, 1079
platinum(II) chloride phosphido phosphine complex, 505
platinum(II) diene disulphurdinitride complex, 1925
platinum(II) diketonate thioether complex, 353
rhenium(I) amine carbonyl chloride hydride complex, 2543
rhenium(VI) aryl oxo complexes, 1079
rhenium(VII) alkylimide chloro aryl complexes, 1079
ruthenium(II) alkyl carbonyl cyclopentadienyl compounds, 837
silver(I) cryptate Schiff base complex, 2229
tungsten(II) alkoxide chloride nitrosyl pyrazolylborate complexes, 449
zirconium(IV) perchlorate, 345
Matrix isolation, S_4N_4 pyrolysis,

629
MCSCF calculations, MCO^+ ions, 1559
Menthoxide, rhenium(III), 1363
neo-Menthylcyclopentadienyl zirconium, 2375
Mepirizole complex
copper(II), 229
Mercaptocarboxylate complexes
indium(III), 5
2-Mercapto-2′-hydroxybiphenyl, 2-mercaptomethyl-2′-hydroxybiphenyl complexes, iron(II), 1911
Mercapto(phenyl)propenoate complexes, manganese(II), 331
2-Mercaptopyridine complexes
rhenium(I), 1401
Mercury
chloride osmium complex, 2159
chloride pyrimidine thioether complex, 659
chloride thiolate complex, 2509
cluster compounds, 1813
halide thione complexes, 2503
nitrate pyrrolidinone silver complex, 1299
nitrite complexes, 213
pyrrolidone thorium complex, 1807
Mesityls
antimony(III), 2601
rhenium(VI),(VII), 1079
Mesitylene, covalent halide nitric oxide complexes, 97
Mesogenic complexes, 1861
Metal - C bond dissociation energies, 1409,1429,1441,1469, 1483,1491,1499,1517,1531,1545, 1583,1605,1625
Metal - H bond dissociation energies, 1409,1429,1441,1491, 1531,1545,1583,1605,1625
Metal - halogen bond dissociation energies, 1491,1517,1531,1605
Metal - metal bond dissociation energies, 1491,1605
Metal - N bond dissociation energies, 1441,1531,1583,1605, 1625
Metal - O bond dissociation energies, 1441,1531,1583,1625
Metal - P bond dissociation energies, 1441,1531,1625
Metal - S bond dissociation energies, 1441,1531,1583,1625
Metal - Si bond dissociation energies, 1625
Metallated complexes
iridium(III), 87
Methanethiol, reaction with $[Fe(CN)_5(NO)]^{2-}$, 1197
Methanethiolates, iron, 1371
Methanol, solvent effects in, complexation, 1227
configurational equilibria, 2135
Methanol complexes
cobalt(II), 2575
ruthenium(III), 1727
Methionine, oxidation by chromium(VI), 11
Methoxide complexes
cobalt(I), hafnium(IV), 1625
molybdenum(II), 103
molybdenum(V), 401
niobium(V), 2217
platinum(II), 1441
Ti(IV), Zr(IV), 1625
N-(4-Methoxybenzylidene)-4′-butylaniline, nematic solvent for ESR spectra, 25
2-Methoxyethoxides, molybdenum(II), tungsten(II), 449
4-Methoxyphenoxide
molybdenum(II), 103
3-Methoxypropylamine, reaction with cobalt(III) complex, 1159
4-Methoxypyridine-N-oxide complexes, thallium, 2561
Methyls
aluminium, 1289,2375
antimony(III), 2601
boron, 2119
cobalt(I), 1559,1625
gallium, 1289
gaseous, 1573
hafnium, 1625
indium, 1289,2091
iridium(III), 1285,1429,2171
lanthanides, 2307
lead(II), 1909
lithium, 2119,2307
manganese(I), 1605
manganese(III), 2001
platinum(II), 2695
platinum(IV), 1169,1855,2095
silicon, 151
tantalum(V), 753
thallium(III), 2487
tin(IV), 2531
titanium(IV), 1625
tungsten(II), 163
tungsten(IV), 2053
uranium(IV), 1517
zirconium(IV), 1625,2083,2375
Methyl acrylate complexes
osmium, 931
1-Methylallyl complexes
manganese(I), 987
molybdenum(II), 987,1719
Nb(I), Ta(I), 1819
Methylamide
molybdenum(II), 103
Methyl azide pyrolysis, 2429
Methyl benzoate complex
chromium(0), 1377
N-[α-]Methylbenzylamine, reaction with cobalt(III) complex, 1159
Methylbenzyne complexes
osmium, 961
1-Methyl-1,2-butadiene, methylcyclopentadiene, reaction with rhodium complex, 859
N-Methylbutylamine, reaction with cobalt(III) complex, 1159
Methyl crotonate, 1827
Methylcyclopentadienyls
cobalt(III), 1023
molybdenum, 2239,2271,2297,2411
tungsten(II), 2297
2-Methylcysteine, reaction with $[Fe(CN)_5(NO)]^{2-}$, 1197
S-Methyldithiocarbazate Schiff

base complexes, 2183
2-Methyl-1,3-dithiolane complexes
Pd(II), Pt(II), 1329
Methylene complexes
review, 767
rhodium(III), 827
ruthenium, 759
N-Methylformamide, solvent for configurational equilibria, 2135
Methylidenes, gaseous, 1573
Methylidyne complexes
gaseous, 1573
trinuclear, review, 847
1-Methylimidazole complexes
iron(II), 589
rhodium(II), 1453
ruthenium(II), 1453
5-Methyl-5-nitro-3,7-diaza-1-oxynonan-9-ol complex, copper(II), 1263
4-Methyl-2-penten-2,4-diolate
lithium, 2001
2-Methylpent-1-ene, 1827
Methyl(phenyl)amido complexes
platinum(II), 1441
4-Methylphenylimide complexes
tungsten(VI), 117
4-Methylphenylmethyls
tantalum(V), 753
N-Methylpiperazinedithiocarbamates, gold(I),(III), 1231
2-Methyl-2-propanethiolate
iron, 1371
2-Methylpropene, reaction with Tc(VII) complex, 1981
4-Methylpyridine complexes
iron(II), 425
6-Methylpyridine-2-thiolates
rhenium(I), 1401
8-Methylquinoline complexes
palladium(II), 2659
Methylsulphonium complexes
cobalt(III), 1023
3-Methyltetrahydrofuran complexes
vanadium(II), 737
5-Methyl-1,1,1-trifluoro-2,4-hexanedionate, aluminium, 369
6-Methyl-1,1,1-trifluoro-2,4-heptanedionate, aluminium, 369
7-Methyl-1,1,1-trifluoro-2,4-octanedionate, aluminium, 369
MNDO calculations
aluminium chloride polynuclear complex, 1139
selenium heteropolyborane anion, 17
MOBI calculations
lithium alkyls, 2119
Moessbauer spectra
iron molybdenum carbonyl thio complexes, 2411
iron rhodium carbonyls, 2351
iron(II) phenoxide thio thiolthiolate thiophenoxide complexes, 1911
iron(III) amine carboxylate hydroxide phenoxide water binucleating complexes, 2703
iron(III) chloride Schiff base complexes, 337
iron(III) dithiocarbamate halide complexes, 2465
Molecular mechanics, osmium carbonyl hydride siloxy complexes, 2399
Molecular orbitals
aluminium chloride polynuclear complex, 1139
1-aza-3-phosphaallenes, 2213
chromium(I) carbonyl ions, 1559
cobalt(I) carbonyl derivatives, 1625
hafnium(IV) chloride derivatives, 1625
lithium alkyls, 2119
molybdenum(III) alkoxide alkyne pyridine complexes, 903
osmium carbonyl chloride phosphide complexes, 1759
phosphinic azides, 223
"piano stool" dimers, 943
ruthenium carbonyl chloride phosphide complexes, 1759
scandium(I) carbonyl ions, 1559
selenium heteropolyborane anion, 17
titanium(IV) chloride derivatives, 1625
tungsten alkylidyne allyl complexes, 871
tungsten(II,VI,VI) thio complex, 2675
tungsten(III) alkoxide alkyne pyridine complexes, 903
zirconium(IV) chloride derivatives, 1625
Molecular rearrangement
molybdenum(II) chloride diphosphine binuclear complexes, 463
Molten salts, solvents for complexation studies, 1341
Molybdenum
acyl carbonyl zirconium complexes, 2451
alkoxide alkyne cyclometallated imine nitrile phosphine pyridine complexes, 919
alkylamido amine halide nitrosyl pyrazolylborate complexes, 1931
allyl carbonyl cyclopentadienyl thio trienyl complexes, review, 2263
carbonyl cyclopentadienyl dibismuth complexes, 2239
carbonyl cyclopentadienyl thio cobalt iron complexes, 2369
Molybdenum(-I)
carbonyl formyl complexes, 1609
Molybdenum(0)
alkene carbonyl isocyanide phosphine complexes, 1831
carbonyl, 1605
carbonyl diimine phosphine complex, 489
Molybdenum(I)
amine iodide nitrosyl pyrazolylborate complexes, 235
carbonyl cyclopentadienyl diphosphine complex, 1793
carbonyl cyclopentadienyl palladium(0) platinum(0) complexes, 2271
carbonyl cyclopentadienyl

phosphine complexes, 1491
Molybdenum(II)
acetate chloride phosphinopyridine complex, 2201
acetate diphosphine halide complexes, 1279
acetyl alkyl carbonyl cyclopentadienyl hydride iodide phosphine complexes, 1491
alkoxide alkylamide arylamide carboxylate hydroxide nitrosyl phenoxide pyrazolylborate thiophenoxide complexes, 103
alkoxide chloride nitrosyl pyrazolylborate complexes, 449
alkylamide chloride diphosphine nitrile thiophenoxide complexes, 2615
alkylamide iodide nitrosyl pyrazolylborate complexes, 235
alkylamide lithium complex, 399
alkylidyne carbonyl cyclopentadienyl cobalt(I) complexes, 2297
allyl carbonyl cyclopentadienyl phosphido manganese(I) complexes, 987
allyl carbonyl halide semicarbazone complexes, 1719
amide carboxylate ether nitrile pyridine thioether binuclear complexes, 1453
arene carbonyl chloride complex, 2027
chloride diphosphine complexes, 463,1673
chloride phosphine complexes, 2679
Molybdenum(III)
alkoxide alkyne pyridine complexes, 903
carbonyl carboxylate hydride macrocycle nitrate phosphine thiocyanate complexes, 2715
Molybdenum(IV)
alkylimido chloride diphosphine complex, 2615
azobenzene carboxylate catecholate cyclopentadienyl halide sulphate thiolate complexes, 1531
chloride isocyanide oxo phosphine complexes, 1767
Molybdenum(V)
alkylamide alkylimide amine chloride diamine diimine phosphine complexes, 67
amidophenoxide diazenide methoxide oxo complex, 401
chloride complex, 2027
chloride phosphine complexes, 1767
fluoride oxo complex, 1135
Molybdenum(VI)
adsorption by carbon, 547
diphenylcarbazone oxo complex, 401
heteropolyanions, 1131
hydroxo hydroxycarboxylate water complex, 2709
isopolyanion, 2605
ketoimine oxo complexes, 2569
maltol oxo complex, 1973
oxo tropolonate complex, 1129
oxychlorides, 579
thio complex as ligand, 1371
tin(IV) molybdate, 585
Morpholinedithiocarbamates
gold(I),(III), 1231
tellurium(IV), 1267
Morpholinylthiocarbonylbenzamidinate complexes, technetium(V), 285
Multimetallic catalysis, 2251
Murexide complexes
Ba,Ca,Mg,Sr, 1227

N

2-Naphthalenethiolate complexes
copper(I), 49
Naphthisoxazole complexes
ruthenium(II), 219
Naphthoquinodimethane complexes
ruthenium, 1945
β-Naphthylglycolate
hafnium, 2165
Nematic glass, solvent for
silver(II) complexes ESR spectra, 25
Neodymium
cyclopentadienyl diketonate, 1095
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborate, 79
proline water complex, 2495
pyridine thiosemicarbazone complexes, 147
Neutron diffraction
uranium(VI) oxide, 239
Nickel
gaseous organo and other ions, 1583
Nickel(0)
carbonyl, 1499
carbonyl complexes, 1605
Nickel(II)
acetate chloride diketonate pyridine thiocyanate complexes, 43
amine azole chloride thiocyanate water complexes, 2575
amine carboxylate phenoxide water binucleating complexes, 2703
aminopolycarboxylate complexes, 1187
antipyrine Schiff base chloride water complexes, 2149
azole nitrate thioether complex, 2591
benzoylhydrazone chloride iron(II) complexes, 393
biuret halide complexes, 1869
chloride complexes, 2473
chloride dithiodiketonate phosphine complexes, 2009
diketonate hydroxylamine ketooximate complexes, 2233
dithiocarboxylate mesogenic

complexes, 1861
halide hydrazine thiocyanate complexes, 1147
hydroxide squarate complex, 2155
hydroxyquinoline complexes, 513
macrocyclic polypyridyl Schiff base complexes, 2531
macrocyclic Schiff base complexes, 2197
phenanthroline complex, 1175
phenoxide pyridine Schiff base complex, 2641
polysalicylaldimine complexes, 1881
pyridine Schiff base thiolate complex, 2183
Schiff base water complex, 337
tetrathiotungstate complex, 2405
thiolate, 1397
Niobium
acyl carbonyl cyclopentadienyl zirconium complexes, 2451
carbonyls, review, 1639
gaseous organo ions, 1583
Niobium(-III)
carbonyl complexes, 1641,1645
Niobium(-I)
carbonyl complexes, 1642,1644
Niobium(I)
allyl diene diphosphine hydride complexes, 1819
carbonyl complexes, 1646,1649, 1657
Niobium(II)
carbonyl complexes, 1651
Niobium(III)
carbonyl complexes, 1649,1652, 1654,1657
Niobium(V)
alkoxide chloride ether nitrile oxo siloxide complexes, 2217
alkylimide amine chloride diamine diimine pyridine complexes, 67
chloride oxo phosphine complex, 2221
ternary oxides, 2393
Nitrates and nitrato complexes
copper(II), 1053
iron(III), 291,2175
lanthanides, 439
mercury, 1299
molybdenum(III), 2715
silver(I), 601
thorium, 143,1807
Nitrenes
complexes, 67
rearrangements, 223
Nitric oxide, aromatic hydrocarbon covalent halide complexes, 97
Nitride complexes
technetium(V), 285
Nitrile complexes
chromium(0), 673,1619
chromium(II), 1453
copper(I), 37,161
copper(II), 307
holmium, 641
iridium(III), 1285
molybdenum, 919
molybdenum(II), 1453,2615
niobium(V), 2217
palladium(II), 1861,2659
platinum(II), 1861
rhenium(V), 171
rhenium(VI), 117
rhodium, 2345
rhodium(I), 1861
rhodium(II), 1453
rhodium(III), 827
ruthenium(II), 2627
ruthenium(II,III), 1453
ruthenium(III), 1727
tungsten(0), 1605
tungsten(II), 245,2769
vanadium(II), 2615
Nitrite, reaction with $[W(CN)_8]^{4-}$, 2193
Nitrite complexes
cadmium, 213
cobalt(III), 1153
iron, 1371
Hg,Zn, 213
2[&3]-Nitrobenzaldehyde Schiff base complexes, thorium, 143
5-Nitro-1,10-phenanthroline complexes, Tc(V),(VII), 1981
2-Nitrophenol complexes
potassium, sodium, 1
4-Nitropyridine complexes
thallium, 2561
1-Nitroso-2-naphthol complexes
potassium, sodium, 1
Nitrosyls
iron, 443,1197,1371
molybdenum, 1931
molybdenum(I), 235
molybdenum(II), 103,235,449
osmium, 709
rhenium, 443,2209
tungsten(II), 449
NMR(^{1}H) spectra
acetonitrile complex, 1285
acylketene complexes, 955
agostic hydrogen, 987
alkene complexes, 837,979,1831, 1891
alkenyl complexes, 837,859,979, 1001
alkoxides, 103,449,1363,1389, 2053
alkyls, 151,753,837,1169,1285, 1289,1409,1855,1901,1953, 2053,2083,2095,2601,2695
alkylamides, 67,103,117,1931, 1991,2515,2615
alkylimides, 67,1079,1841
alkylphosphides, 1901,1909
alkyne complexes, 63,919,979, 2769
alkynyl complexes, 1409
allyl complexes, 979,987,1719, 1819,2521
amine complexes, 67,117
aminoacid complexes, 1153
aminoalcohols, 1263
aminopolycarboxylates, 529
arene complexes, 97,409,859, 1311,2685
arsine complexes, 623
aryls, 753,1079,1409,2601,2695
arylamides, 103
arylimides, 117,329

atranes, 679
azaallyl complexes, 2531
azole complexes, 37,219,695, 1781,1931,2591
benzylidyne, benzyne complexes, 961
carbene complexes, 759,771
carboxylates, 103,979,2225,2597
carbyne complexes, 807
crown ether complexes, 2649, 2761
cryptate complexes, 2229
cyclometallated complexes, 753, 1409,2659
cyclopentadienyls, 393,409,623, 725,859,881,987,1023,1221, 1409,1965,1991,2053,2083, 2095
cysteine complex, 1243
diamine complexes, 67,1737
diazabutadiene complexes, 63
diazenyl complexes, 2083
diene complexes, 561,1067,1819, 1953,2035
diimine complexes, 67,117,575, 1953,1981
diketonates, 353,1389,1409
diolate complexes, 1981
diphosphine complexes, 463, 1001,1279,1289,1673,1767, 1819,1953,1965,2615,2695
diphosphine diastereoisomerism, 239
ditelluride complexes, 1169
dithioarsenates, 1855
dithiocarbazates, 1211
dithiolates, 471
ether complexes, 725,1079,2515
heteropolyborane anion, 17
hydrazide complexes, 171
hydride complexes, 187,561,759, 961,979,1001,1409,1781,1819, 1965,2031,2053,2369,2543
isocyanide complexes, 1767,1831
ketene complexes, 791
ketenylidene complexes, 807
ketone complexes, 979
macrocyclic complexes, 2531, 2715
mercaptopyridine complexes, 1401
naphthoquinonedimethane complexes, 1945
nitrile complexes, 37,673,919, 2615,2627,2659
oxopyridine complexes, 1311
phenoxides, 103,337,753,1881, 1911
phosphine complexes, 285,329, 409,651,1285,1289,1767,1831, 1855,1919,1945,1953,1965, 2031,2221,2715
phosphine oxide complexes, 67, 2597
phosphite complexes, 409
phosphonate complexes, 2095, 2761
picoline complexes, 67
polyphosphine complex, 2031
porphyrins, 2225
pyrazolylborate complexes, 103,449
pyridine complexes, 67,439,665, 673,695,1311,1401,1727,1855, 1953,2183,2627
pyridine-N-oxide complexes, 2561
pyridyl complexes, 665
pyrimidine thioether complexes, 659
salicylaldimines, 1881
Schiff base complexes, 337,695, 1881,2183,2229,2649
semicarbazone complexes, 151, 633,1719
silatranes, 2189
steroid hormone, 2297
sulphoxide complexes, 29,673, 1737,2143,2627
terpyridyl complexes, 1953
thioamide complexes, 623
thiocarbamates, 483
thiodiketonates, 483
thioether complexes, 1321,1329, 2591,2649
thiolates, 1121,1911,2183
thiophenoxides, 103,1911
thiosemicarbazone complexes, 151,633
thioxanthates, 1121
triazenide complexes, 1919
vinylcarbyne complexes, 881
water complexes, 337
NMR(^{7}Li) spectra
lithium cryptand complexes, 1341
NMR(^{11}B) spectra
atranes, 679
carbaboranes, 669
heteropolyborane anions, 17,187
NMR(^{13}C) spectra
acyls, 1035
acylketene complexes, 955
alkene complexes, 837,931,1015, 1831
alkenyl complexes, 837
alkoxides, 1015,1363,2053
alkyls, 151,753,837,1015,1169, 1409,1855,1953,2053,2083
alkylamides, 67,117,2515
alkylidyne complexes, 443,849, 2297
alkylimides, 67,1079,1841
alkylphosphido complexes, 1909
alkyne complexes, 63,903,2769
alkynyl complexes, 1045,1409
allyls, 1015,1819,2521
amine complexes, 67,117,2649
arene complexes, 97,1311,2685
aryls, 753,1079,1409
arylimides, 117,329
atranes, 679
azaallyl complexes, 2521
azole complexes, 695
carbene complexes, 759,775,1035
carbonyls, 63,245,759,987,1035, 1965,2297
carboxylates, 329,2597
carbyne complexes, 807
crown ether complexes, 2649
cryptate complexes, 2229
cyanides, 651
cyclometallated complexes, 753, 1409
cyclopentadienyls, 725,1409, 1965,1991,2053,2083,2297

diamine complexes, 67
diazabutadiene complexes, 63
diazenyl complexes, 2083
diene complexes, 1819,1953
diimine complexes, 67,117,1953
diketonates, 353,1409
diphosphines, 1875,
diphosphine complexes, 1767, 1819,1953,1965
diphosphine diastereoisomerism, 239
ditelluride complexes, 1169
dithioarsenates, 1855
dithiocarbazates, 1211
dithiolates, 471
ether complexes, 725,1079,2515
imine complexes, 919
isocyanide complexes, 1767,1831
ketene complexes, 791
ketenylidene complexes, 807
maltol complexes, 1973
nitrile complexes, 919
oxopyridine complexes, 1311
phenoxides, 753
phosphines, 1875
phosphine complexes, 329,353, 1767,1831,1855,1953
picoline complexes, 67
polyphosphines, 1875
porphyrins, 57,2225
pyridine complexes, 67,695, 1311,1855,1953
Schiff base complexes, 695,931, 2229,2649
semicarbazone, thiosemicarbazone complexes, 151,633
terpyridyl complexes, 1953
thiocarbamates, 483
thiodiketonates, 483
thioether complexes, 353,1321, 1329,2649
vinylcarbyne complexes, 881
NMR(^{15}N) spectra
nitrosyls, 1371
NMR(^{17}O) spectra
oxo complexes, 2537
NMR(^{19}F) spectra
alkenyl complexes, 859
arene complexes, 409,859,1377
cyclopentadienyl complexes, 409,859
fluoride complexes, 97,2015
fluoroarylimido complexes, 2015
fluoroaryl phosphines, 1875
trifluoroacetates, 2715
NMR(^{27}Al) spectra
aluminium alkoxide oxo complex, 1389
atranes, 679
NMR(^{31}P) spectra
alkylphosphides, 1901
diazenyl complexes, 2083
diphosphines, 1875
diphosphine complexes, 49,187, 239,315,1001,1279,1289,1767, 1793,1819,1925,1953,1965, 2441,2615,2659,2695
diphosphine diastereoisomerism, 239
metallated arylphosphine complexes, 87
peroxodiphosphates, 1305
phosphido complexes, 505, 1317,1909
phosphidoxo complexes, 2285
phosphines, 1875
phosphine complexes, 37,87,285, 329,409,505,561,605,651,1289, 1349,1377,1767,1831,1855, 1919,1945,1953,2031,2221, 2597,2715
phosphinopyridine complexes, 1751
phosphite complexes, 409,1919
phosphonate complexes, 2095
phosphorus(V) bromide complex, 1725
polyphosphines, 129,1875
polyphosphine complexes, 2035
polyphosphine sulphides, 129
triphosphine complexes, 807
triphosphinoamine complexes, 29
NMR(^{59}Co) spectra
cobalt carbonyl hydride ruthenium complexes, 2369
NMR(^{63}Cu) spectra
copper(I) acetonitrile azo complexes, 161
NMR(^{77}Se) spectra
selenium(IV) heteropolymolybdates, 1131
selenium rings, 581
NMR(^{95}Mo) spectra
molybdenum(II) chloride nitrile phosphine complexes, 2615
NMR(^{119}Sn) spectra
tin(II) arsenido chloride phosphido complexes, 1317
NMR(^{125}Te) spectra
ditelluride complexes, 1169
NMR(^{195}Pt) spectra
platinum(II) chloride phosphido phosphine complex, 505
platinum(IV) ditelluride halide methyl complexes, 1169
NMR(APT) spectra
alkene complexes, 931
NMR(COSY) spectra
carbaboranes, 669
heteropolyborane anion, 17
polysalicylaldimine complexes, 1881
steroid hormone complexes, 2297
NMR(solid state) spectra
lithium cryptand complexes, 1341
peroxodiphosphates, 1305
NMR(2-D) spectra
hydrazide complexes, 171
phosphine complexes, 1349
polyphosphines, polyphosphine sulphides, 129
polysalicylaldimine complexes, 1881
steroid hormone complexes, 2297
Norbornadiene, reaction with rhodium complex, 859
Norbornadiene complexes
rhodium(I), 1067
Norbornene hydrogenation catalysis, 1827
Normal coordinate analysis, rhenium(III) carbonyl cyclopentadienyl halide complexes, 2743

O

Octaethylporphyrins
iron(II), 589
platinum(II), 57
rhodium(II),(III), 1545
silver(III), 57
Octahedral - tetrahedral configurational interconversion, cobalt(II) complexes, 2135
Octanediolates
technetium(V), 1981
1-Octene, hydrogenation catalysis, 1827
1-Octene complexes
ruthenium(II), 1239
4-Octene, reaction with technetium(VII) complex, 1981
n-Octylamine, reaction with cobalt(III) complex, 1159
Optical rotation, aluminium alkyl alkylamide, 2727
Organoberyllium compounds, book review, 2247
Organocopper compounds, book reviews, 1225,1789
Organotin compounds, book review, 1225
Oscillator strength, holmium acetonitrile phenanthroline complexes, 641
Osmium
acyl alkene carbonyl hydride complexes, 1891
acyl carbene carbonyl ether halide hydride hydroxide complexes, 1035
alkene alkenyl alkyne allyl carbonyl carboxylate hydride ketone ruthenium complexes, 979
alkene alkyl alkyne carbonyl cyclometallated imine compounds, 931
alkyne carbonyl chloride mercury complex, 2159
alkynyl carbonyl phosphido phosphine complexes, 1045
aminocarbene aminocarbyne carbonyl iminium thio thiophenoxide complexes, 967
arylimido carbonyl hydride complexes, 2331
benzylidyne benzyne carbonyl hydride complexes, 961
carbonyl chloride phosphide complexes, 1759
carbonyl cyanate halide isocyanide ketene complexes, 791
carbonyl hydride rhenium complex, 2421
carbonyl hydride siloxy complexes, 2399
methylidyne trinuclear complexes, review, 847
Osmium(0)
alkene alkyne carbonyl ruthenium(0) complexes, 931
arsine halide nitrosyl complexes, 709
Osmium(II)
arsine carbonyl dithiocarbamate halide nitrosyl phosphine complexes, 709
benzotriazole carbonyl hydride phosphine complexes, 1781
Osmium(III)
dithiocarbamate halide phosphine thionitrite complexes, 709
halide phosphine triazenide complexes, 417
Osmium(VI)
aryl oxo complexes, 1079
maltol oxo complex, 1973
7-Oxabicyclo[2.2.1]heptane complex, molybdenum(II), 1453
Oxalate complexes
copper(I), 37
copper(II), 229
ruthenium(II,III), 1393
Oxides
iron(III), 385
niobium(V), 2393
uranium(VI), 243
V(V), W(VI), 2393
Oxime complexes
cobalt(III), 1499
Oxo complexes
aluminium, 1389,2375
iron(III), 2175
lithium, 2001
magnesium, 1079,1389
manganese(III), 2001
molybdenum(IV), 1767
molybdenum(V), 401,1139,1767
molybdenum(VI), 401,579,1129, 1973,2569
niobium(V), 2217,2221
osmium(VI), 1079,1973
palladium, 2321
rhenium(V), 1079,1981,2537
rhenium(VI), 1079
rhenium(VII), 705,1841,1981, 2537
samarium, 1693
tantalum(V), 2053
tungsten(IV), 1767,2053
tungsten(V), 471,1767
tungsten(VI), 117,579
uranium(VI), 1973
vanadium(III), 2635
vanadium(IV), 1245,2635
Oxomethylene complexes
tungsten(IV), 2053
2-Oxopyridinate complexes
ruthenium(II), 1311
Oxycarbene complexes
Hf, Zr, 2451
Oxygen, reactions with alkylidyne bridging complexes, 789

P

Palladium
carbonyl iron complexes, 2351
oxo phenanthroline complexes, 2321
Palladium(0)
carbonyl phosphine molybdenum(I) complexes, 2271
Palladium(I)
chloride diphosphine binuclear complex, 239

Palladium(II)
amine azo chloride diimine diphosphine nitrile pyridine cyclometallated complexes, 2659
azo dye complexes, 495
azobenzene sulphur - nitrogen complexes, 647
azole diphosphine rhodium(I) complexes, 2441
bromide phosphine thiazine complexes, 419
carboxylates, 615
carboxylate chloride selenoether complexes, 2477
chloride diimine ruthenium(II) complexes, 731
chloride dithiocarboxylate nitrile mesogenic complexes, 1861
chloride phosphine pyridine complex, 207
chloride thioether complexes, 1321,1329
chloride triphosphinoamine complex, 29
creatinine complexes, 1273
diimine diolate dithiolate complexes, 349
halide pyrimidine thioether complexes, 659
maltol phosphine complexes, 1973
Palladium(IV)
bromide complex, 2611
Partially oxidised complexes, rhodium(I) dithiolate halide complexes, 379
Pauling, calculation for bond energies, 1677
PE spectra
methyl azide decomposition, 2429
Penicillamine, reaction with $[Fe(CN)_5NO]^{2-}$, 1197
Penicillamine complexes
thallium(III), 2487
Pentafluorophenylimido complexes
tungsten(V), 2015
Pentamethylcyclopentadienyls
Ba,Ca, 725
hafnium, 759
iridium(III), 1429
lanthanides, 2307
molybdenum(II), 2297
rhenium(III), 2743
rhodium(III), 827
ruthenium(I,III), 837
ruthenium(II), 837,1441
samarium, 1693
strontium, 725
tantalum(V), 2053
tungsten(II), 2297
tungsten(IV), 2053
zirconium, 759
1,5-Pentamethyltetrazole complexes, samarium, 1693
2,4-Pentanedionates
aluminium, 1389
lanthanides, 79,1095
magnesium, 1389
nickel(II), 2233
ruthenium(III), 1727
scandium, 1409
2,4-Pentanedione Schiff base complexes, thorium, 143
2,4-Pentanedithionate
nickel(II), 2009
2-Pentanonesemicarbazone complexes, molybdenum(II), 1719
1-Pentenyl complexes
rhodium(I), 1001
neo-Pentoxides
molybdenum, 919
Mo(III),W(III), 903
n-Pentyl, iridium(III), 1429
neo-Pentyls
iridium(III), 1429
lithium, 2023
rhenium(VII), 1841
neo-Pentylidene complexes
rhenium(VII), 1841
n-Pentylidyne complexes
cobalt(III), 1023
t-Pentylthiolate, t-pentylthioxanthate complexes, copper(I), 1121
Peptide complexes
chromium(III), 523
cobalt(II), zinc, 1089
Perchlorates
copper(II), 345,1053
hafnium(IV), 345
iron(III), 291
tellurium(IV), 1267
zirconium(IV), 345
Peroxide complexes
iridium(III), 187
Peroxodiphosphates, 1305
1,10-Phenanthroline complexes
holmium, 641
molybdenum(0), 489
nickel(II), 1175
palladium, 2321
palladium(II), 349
platinum(II), 349,353,1953
rhenium(V),(VII), 1981
rhodium(I), 1067
ruthenium(III), 1727
silver(I), 601
technetium(V),(VII), 1981
Phenoxides
aluminium,,2723
cadmium, 1881
chromium(III), cobalt(II), 2703
copper(II), 1335,2703
gallium, germanium, 2723
indium, 1881,2723
iron(II), 1911
molybdenum(II), 103
molybdenum(V), 401
nickel(II), 1881,2641,2703
potassium, 1
scandium, 1881,2723
sodium, 1
tantalum(V), 753
thallium(III), 1881
titanium(IV), 1531
zinc, 1335,1881
Phenyls
antimony(III), 2601
hafnium, 1409
iridium(III), 1429
lead(IV), 2039
manganese(I), 1605
platinum(II), 2695

scandium, 1409
silicon, 679
tin(IV), 2039
Phenylacetyl complexes
molybdenum(II), 1491
Phenylacetylene complex
ruthenium, 1071
Phenylalanine methyl ester Schiff base complexes, Cu(II),Zn, 695
Phenylamido complexes
molybdenum(II), 103
ruthenium(II), 1441
Phenylazophenyl complexes
palladium(II), 2659
1-Phenyl-1,3-butanedionate
aluminium, 1389
cobalt(II), 421
magnesium, 1389
nickel(II), 2233
Phenyldiazenide complex
molybdenum(V), 401
2-Phenyl-1,3-dithiolane complexes
Pd(II), Pt(II), 1329
1,2-Phenylenediamine complexes
ruthenium(II), 1727,1737
ruthenium(III), 1737
o-Phenylenediaminetetraacetate complexes, copper(II), 1187
Phenyl-1,2-ethanediolate
technetium(V), 1981
2-Phenylethyl complexes
cobalt(III), 1499
1-Phenylethylamide
aluminium, 2727
2-Phenylethynyl complexes
ruthenium(II), 1441
uranium(IV), 1517
Phenylimides
rhenium(V),(VI), 117
tungsten(VI), 117
N-Phenylpiperazinedithiocarbamate
gold(III), 1231
4-Phenylpiperidinedithiocarbamate
gold(III), 1231
1-Phenylpropane-1,3-dione Schiff base complexes,
thorium(IV), 143
1-Phospha-4-ethyl-1,5,7-trioxabicyclo[2.2.1]octane complex,
rhodium(II), 1453
Phosphate(organo) complexes
chromium(II), 1453
Phosphates, peroxodi-, 1305
Phosphido (PH_2) complexes
Co(I), Hf(IV), Ti(IV), Zr(IV), 1625
Phosphido (PR_2) complexes
iron, 1045
lanthanides, lithium, 2307
Mn(I), Mo(II), 987
osmium, 1045,1759
platinum(II), 505
ruthenium, 1045,1759
tin(II), 1317
zirconium, 2083
Phosphidoxo polynuclear complexes, review, 2285
Phosphinate, indium, 2091
Phosphines, aryl, 1875
Phosphine complexes
aluminium, 1289
chromium(0), 409,1377,1619
chromium(I),(II), 1965
cobalt, 2321,2345,2369
cobalt(III), 1483
copper(I), 37,1121
gallium, 1289
gold, 605,2317,2321
gold(I), 651
indium, 1289
iridium(III), 87,651,1285,1429, 1781,2171
iron(II), 1687
manganese(I), 409
molybdenum, 919
molybdenum(0), 489,1831
molybdenum(I), 1491
molybdenum(II), 1491,2201,2679
molybdenum(III), 2715
molybdenum(IV), 1767
molybdenum(V), 67
nickel(II), 2009
niobium, 2221
osmium, 1045
osmium(II), 709,1781
osmium(III), 417,709
palladium(0), 2271
palladium(II), 207,419,1973
platinum(0), 1349,2271
platinum(II), 353,419,505,1953, 1973
platinum(IV), 1855
rhenium, 2209
rhenium(I), 195,1401
rhenium(II), 195
rhenium(V), 117,171,329
rhodium, 561,2321,2345,2441
rhodium(II), 1751
rhodium(III), 651,2087
ruthenium, 1045,1945,2321
ruthenium(I), 417,1919
ruthenium(II), 1441,1781,2031, 2627
ruthenium(II,III), 2597
ruthenium(III), 417,1727,1737
silver, 2317
technetium(V), 285
titanium(IV), 1531
tungsten(0), 1831
tungsten(II), 163,2769
tungsten(IV), 1767
Phosphine oxide complexes
chromium(0), 673
cobalt(II), 1785,2135
ruthenium(II,III), 2597
thallium, 2561
Phosphinic azides, rearrangements, 223
Phosphinopyridine complex
molybdenum(II), 2201
Phosphite complexes
chromium(0), 409
chromium(II), 1453
iron(II), 1687
manganese(I), 409,987
rhodium(II), 1453
ruthenium(I), 417
ruthenium(II), 219
Phosphonates
Co(III), Pt(IV), 2095
potassium, 2761
Phosphoramidothioates, phosphorodiamidothioates, Ag(I),Cr(III), Pb(II),Sn(II),V(III), 557
Phosphorus, heterocyclic compounds, 679

Phosphorus(V)
in heteropolytungstates, 477
tetrabromo-, trichloride, 1725
Photoappearence, photodissociation spectra (mass spectra, gaseous ions, 1583
Photochemistry
iron(II) arsine carbonyl cyanide phosphine phosphite stibine complexes, 1687
palladium(II) chloride phosphine pyridine complex, 207
Phthalate, cobalt(II), 203
Phthalazine complexes
rhenium(V), 171
Phthalocyanine complex
iron(III), 2667
"Piano stool" dimers, molecular orbitals, 943
Picolinate complexes
Cu(II),Zn, 689,1335
2-Picoline complexes
chromium(0), 1619
ruthenium(III), 1737
3-Picoline complexes
iron(II), 589
4-Picoline complexes
iron(II), 589
niobium(V), 67
Picoline-N-oxide complexes
Rh(II), Ru(II,III), 1453
thallium, 2561
4-Picolinic acid-N-oxide complexes, K,Li,Na, 1
Piperazine-2,5-dione, formation from glycylglycine, 523
Piperazinedithiocarbamates
gold(I),(III), 1231
Piperidides
iron(III), 2175
molybdenum, 1931
molybdenum(II), 235
Piperidine, reaction with cobalt(III) complex, 1159
Piperidine complexes
molybdenum, 1931
molybdenum(I), 235
rhodium(II), 1453
tungsten(0), 1605
Piperidinedithiocarbamates
gold(I),(III), 1231
tellurium(IV), 1267
Platinum
arsine chloride complexes, 2321
carbonyl iron complexes, 2351
cluster compounds, 269
Platinum(0)
alkene phosphine complexes, 1349
carbonyl phosphine molybdenum(I) complexes, 2271
Platinum(II)
alkoxide alkyl arylamido cyanide diphosphine hydrosulphide hydroxide complexes, 1441
alkyl aryl diphosphine halide complexes, 2695
alkyl diene diimine diphosphine halide phosphine pyridine terpyridyl complexes, 1953
bromide phosphine thiazine complexes, 419
chloride diimine potassium complex, 137
chloride diimine ruthenium(II) complexes, 731
chloride diphosphine methylene complex, 767
chloride nitrile mesogenic complexes, 1861
chloride phosphido phosphine complex, 505
chloride thioether complexes, 1321,1329
chloride triphosphinoamine complex, 29
creatinine complexes, 1273
cyclooctadiene diimine diketonate phosphine thioether complexes, 353
diene diphosphine disulphurdinitride iron(II) complexes, 1925
diolate dithiolate phenanthroline complex, 349
dithiocarbazates, 1211
halide pyrimidine thioether complexes, 659
maltol phosphine complex, 1973
porphyrins, 57
trans effect, 1203
Platinum(IV)
chloride methyl phosphonate cobalt(III) complexes, 2095
dithioarsenate methyl phosphine pyridine complexes, 1855
halide methyl ditelluride complexes, 1169
hexasulphide complex, 1801
pM values, salicylaldimine complexes, 2723
Polarography, iron(II) phenoxide thiolate thiophenoxide complexes, 1911
Polyhedral compounds
borane anions, 363,2437
electron counting, review, 1107
rearrangements, 1107
skeletal electron pair theory, 258
Polymer radiothermoluminescence, book review, 671
Polymorphism, nickel(II) phenanthroline complex hydrates, 1175
Polynuclear complexes, electron counting, review, 253
Polyphosphines, 129,1875
Polyphosphine complexes
Al, Ga, In, 1289
Ir(I), Rh(I), 2035
Polyphosphine sulphides, 129
Polysulphide complex
platinum(IV), 1801
Poly(sulphur nitride), 629
Porphyrins
iron(II), 589
platinum(II),
rhodium(II),(III), 1545
silver(III), 57
tin(IV), 2225
Potassium
carboxylic acid hydroxyquinoline phenoxide pyridine-N-oxide complexes, 1

chloride ether lanthanide complexes, 2307
crown ether, cryptand complexes, 721
crown ether phosphonate complexes, 2761
crown ether platinum metal complexes, 137
Potential energy curves, Cr(I), Sc(I) carbonyl ions, 1559
Praseodymium
diketonate pyrazolylborate, 79
pyridine thiosemicarbazone complexes, 147
Proline complex
neodymium, 2495
1,2-Propanediol complexes
palladium(II), 349
Propane-1-thiolates
Mo(IV), Ti(IV), W(IV), 1531
Propane-2-thiolates
iron, 1371
molybdenum(IV), 1531
i-[&n]-Propanol, solvent effects, 2135
i-Propanol complex, Fe(II), 2155
Propene hydroformylation, 2351
Propenyl complexes
rhodium(I), 1001
Propionates
iron(III), 2175
palladium(II), 615
ruthenium(II,III), 1393
tungsten(III), 1991
Propionitrile complex
vanadium(II), 2615
Propionyl complexes
osmium, 1891
i-Propoxides
Al, Mg, 1389
molybdenum(II), 103
molybdenum(III), 903
rhenium(III), 1363
tungsten(III), 903
tungsten(V), 1015
n-Propoxide
molybdenum(II), 103
i-Propyls, lithium, 2119
n-Propyls,
antimony(III), 2601
rhodium(III), 827
i-Propylamide complexes
tantalum(V), 67
i-Propylimide complexes
tantalum(V), 67
i-Propylisocyanide complexes
Mo(0), W(0), 1831
Pyrazine complexes
tungsten(0), 1605
Pyrazole complexes
copper(I), 37
copper(II), 229
Pd(II), Rh(I), 2441
tungsten(0), 1605
Pyrazolylborates
lanthanides, 79
molybdenum, 1931
molybdenum(I), 235
molybdenum(II), 103,235,449
tungsten(II), 449
Pyridine complexes
cadmium, 43,2183
chromium(0), 673,1619
cobalt(II), 43,2183
cobalt(III), 1499
copper(II), 43,609,689,695, 1335,1383,1483,1745,2183
gold, 1861
iron(II), 425,589
iron(III), 425,2175,2183
lanthanides, 147,155,439
lithium, 665
manganese(II), 43
molybdenum, 919
molybdenum(II), 1453,2201
molybdenum(III), 903
nickel(II), 43,2183,2641
niobium(V), 67
palladium(II), 207,2659
platinum(II), 1953
platinum(IV), 1855
rhenium(I), 1401
rhenium(V), 171
rhenium(VII), 1241
rhodium(I), 1067
rhodium(II), 1453,1751
ruthenium(II), 1311,1727,2627
ruthenium(II,III), 1453
ruthenium(III), 1727,1737
silver(I), 1861
silver(II), 25
tungsten(0), 1605
tungsten(III), 903
zinc, 43,689,695,1335,2183
Pyridine-2-aldehyde 2′-pyridylhydrazone complex, copper(II), 1383
2-Pyridinecarboxaldehyde semicarbazone, thiosemicarbazone complexes, silicon, 151
4-Pyridinecarboxaldehyde-4′-nitrophenylhydrazone complex, palladium(II), 207
Pyridine-N-oxide complexes
lithium, potassium, 1
Rh(II), Ru(II,III), 1453
sodium, 1
thallium(III), 2561
3-Pyridylcarbinol complexes
copper(II), 1745
Pyrimidine complexes
cadmium, 659
copper(II), 229
Ag(I),Au(III),Hg,Pd(II),Pt(II), 659
Pyrrolidide, molybdenum(II), 235
Pyrrolidine, reaction with cobalt(III) complex, 1159
Pyrrolidine complex
molybdenum(I), 235
2-Pyrrolidinone complexes
mercury, 1299,1807
silver, 1299
thorium, 1807
Pyrrolidylthiocarbamates
Bi(III), Sb(III), 483

Q

Quinaldic acid-N-oxide complexes
K,Li,Na, 1
Quinoline complexes
rhodium(I), 1067
Quinoline-2-thiolate complexes
rhenium(I), 1401
Quinuclidine complexes
iron(II), 589

R

Radical traps, use in bond dissociation energy determinations, 1469,1483
γ-Radiolysis, germanium hydride, 597
Radiothermoluminescence in polymers, book review, 671
Raman spectra
bromide complexes, 1725,2611
oxo complexes, 1973
peroxodiphosphates, 1305
Rearrangements, polyhedral borane anions, 2437
Rhenium
alkylidyne carbonyl indenyl nitrosyl iron ruthenium complexes, 443
carbonyl hydride osmium complex, 2421
cyclopentadienyl germyl nitrosyl phosphine complexes, 2209
Rhenium(0)
carbonyl cyclohexadienyl complexes, 2201
Rhenium(I)
amine carbonyl chloride hydride complexes, 2543
carbonyl chloride tetrahydrofuran complex, 1363
carbonyl cyclohexadienyl complexes, 2201
carbonyl mercaptopyridine phosphine complexes, 1401
Rhenium(I),(II)
carbonyl formamidinate phosphine triazenide complexes, 195
Rhenium(III)
alkoxide chloride complexes, 1363
carbonyl cyclopentadienyl halide complexes, 2743
chloride thioether complexes, 1207
iodide complex, 1667
Rhenium(V)
acetonitrile ammine chloride diazenide dimethylformamide hydrazide phosphine pyridine complexes, 171
alkylidyne carbonyl indenyl complexes, 443
amine arylimide chloride phosphine complexes, 117
arylimido carboxylate chloride ethoxide phosphine complex, 329
aryl oxo magnesium complex, 1079
chloride diimine diolate oxo complexes, 1981
halide oxo triamine complexes, 2537
polysulphide thio complex, 83
Rhenium(VI)
acetonitrile amine arylimide chloride ether complexes, 117
aryl oxo complexes, 1079
Rhenium(VII)
alkoxide alkyl alkylidene arylimido chloride oxo phenoxide pyridine siloxide complexes, 1841
alkylimido aryl chloro complexes, 1079
chloride diimine oxo complexes, 1981
chlorosulphate oxo compound, 705
halide oxo triamine complexes, 2537
Rhodium
acyl carbonyl cyclopentadienyl zirconium complexes, 2451
alkene alkenyl arene aryl cyclopentadienyl diene complexes, 859
alkyne carbonyl chloride ether nitrile phosphine cobalt complexes, 2345
carbide carbonyl iron complexes, 2351
carbonyl diene hydride phosphine thio trinuclear complexes, 561
chloride phosphine complexes, 2321
gaseous organo- ions, 1583
Rhodium(I)
alkene alkenyl diphosphine hydride complexes, 1001
carbonyl chloride diphosphine complexes, 315
carbonyl chloride nitrile mesogenic complexes, 1861
carbonyl chloride phosphino-pyridine complexes, 1751
carbonyl chloride triphosphin-oamine complexes, 29
chloride diphosphine complex, 1827
carbonyl phosphine thiolate heteronuclear complexes, 2441
diamine diene diimine halide quinoline complexes, 1067
diene methyl methylene complex, 770
diene polyphosphine complex, 2035
dithiolate halide complexes, 379
isocyanide cobalt(II) polymeric complex, 741
Rhodium(II)
amide amine azole carboxylate nitrile phosphine pyridine pyridine-N-oxide sulphoxide thioether complexes, 1453
carbonyl chloride diphosphine isocyanide complexes, 315
carbonyl chloride isocyanide phosphinopyridine complexes, 1751
octaethylporphyrinate, 1545
Rhodium(III)
alkyl chloride diphosphine hydride complex, 1827
alkyl cyclopentadienyl methylene complexes, 827
chloride cyanide phosphine gold(I) complexes, 651
chloride hydrazine phosphine complex, 2087

chloride triphosphinoamine complex, 29
formyl hydride porphyrin complexes, 1545
maltol complex, 1973
triazenide complexes, 417
Ruthenium
acyl carbene carbonyl hydride complexes, 1035
acylketene carbonyl complexes, 955
alkene alkenyl alkyne carbonyl hydride osmium complexes, 979
alkyl allyl chloride naphtho-quinonedimethane phosphine complexes, 1945
alkylidyne carbonyl iron rhenium complexes, 443
alkyne carbonyl thio cluster complex, 1071
alkynyl carbonyl hydride hydroxide phosphido phosphine complexes, 1045
allyl azaallyl carbonyl complexes, 2521
allyl carbonyl thio trienyl complexes, review, 2263
amine carbonyl hydride cobalt complexes, 2341
arylimido carbonyl hydride complexes, 2331
carbene carbonyl cyclopentadienyl hafnium zirconium complexes, 759
carbonyl chloride phosphide complexes, 1759
carbonyl hydride complexes, 2341
carbonyl hydride iron complexes, 2387
chloride phosphine complexes, 2321
methylidyne trinuclear complexes, review, 847
Ruthenium(0)
alkene alkyne carbonyl osmium(0) complexes, 931
carbonyl diphosphine complex, 1939
Ruthenium(I)
amine azenide carbonyl phosphine complexes, 1919
amine carbonyl phosphine triazenide complexes, 417
Ruthenium(I,III)
alkene alkenyl alkyl carbonyl cyclopentadienyl compound, 837
Ruthenium(II)
alkene alkyne carboxylate hydride complexes, 1239
alkyl alkynyl arylamido cyanide cyclopentadienyl hydride hydrosulphide hydroxide phosphine complexes, 1441
alkyl carbonyl cyclopentadienyl compounds, 837
arsine chloride cyclopentadienyl thioamide complexes, 623
azole carbonyl chloride phosphite thioacetamide thiourea complexes, 219
azole carbonyl hydride phosphine complexes, 1781
bromide diamine sulphoxide complexes, 1737
carbonyl chloride diimine palladium(II), platinum(II) complexes, 731
carbonyl cyclopentadienyl methylene complex, 768
carbonyl triazenide complexes, 417
chloride cymene oxopyridinate complexes, 1311
chloride diamine dimethylsulphoxide pyridine complexes, 1727
chloride diimine complexes, 575
chloride sulphoxide triphosphinoamine complexes, 29
diimine alkali metal complexes, 137
hydride phosphine complex, 2031
iodide nitrile phosphine pyridine sulphoxide thiocarbonyl complexes, 2627
Ruthenium(II,III)
azole carboxylate chloride ketone nitrile pyridine pyridine-N-oxide sulphoxide thioether complexes, 1453
carboxylate chlorides, 685
carboxylate ether phosphine phosphine oxide complexes, 2597
oxalate propionate complexes, 1393
Ruthenium(III)
alcohol arsine carbon disulphide chloride diimine diketonate dithiocarbamate nitrile phosphine pyridine sulphoxide thiolate complexes, 1727
arsine halide triphosphinoamine complexes, 29
bromide carbon disulphide diamine diimine dithiocarbamate phosphine pyridine sulphoxide complexes, 1737
chloride diimine complexes, 575
chloride Schiff base complexes, 1063
halide phosphine triazenide complexes, 417
maltol complex, 1973

S

$S_2N_2^{2-}$ complexes
palladium(II), 419,647
platinum(II), 419
$S_2N_2H^-$ complexes
palladium(II), 419,
platinum(II), 419
S_3N^- complexes
palladium(II), 647
Salicylaldehyde Schiff base complexes
aluminium, 1881,2723
cadmium, 1881
cobalt(II), copper(II), 337
gallium, germanium, 2723

indium, 1881,2723
iron(II), 337
molybdenum(VI), 2569
nickel(II), 337,1881,2641
scandium, 1881,2723
thallium(III), 1881
thorium, 143
zinc, 337,1881
Salicylaldehyde semicarbazone, thiosemicarbazone complexes, tellurium(IV), 633
Salicylaldehyde-5-sulphonate Schiff base complexes, 2723
Salicylate complexes
cobalt(III), 2731
copper(II), 1745
Salicylhydrazide Schiff base complex, copper(II), 543
Samarium
alkoxide azole cyclopentadienyl ether iodide isocyanide oxo complexes, 1693
cyclopentadienyl pentanedionates, 1095
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborate, 79
pyridine thiosemicarbazone complexes, 147
Scandium hydride ion, 1583
Scandium(I) carbonyl ions, 1559
Scandium(III)
alkyl alkynyl chloride cyclopentadienyl pentanedionate phenyl cyclometallated complexes, 1409
phenoxide Schiff base complex 2723
polysalicylaldimine complexes, 1881
SCF - MS - Xα calculations
tungsten(II,VI,VI) thio complex, 2675
Schiff base complexes
aluminium, 1881,2723
cadmium, 1881,2183
cobalt(II), 337,2149,2183
cobalt(III), 1483
copper(I), 2649
copper(II), 337,543,695,2183
gallium, germanium, 2723
indium, 1881,2723
iron(II), 337,425
iron(III), 2183
manganese(II), 2149
molybdenum(III), 2715
nickel(II), 337,1881,2149,2183, 2197,2531,2641
ruthenium(III), 1063
scandium, 1881,2723
silver(I), 2229,2531
thallium(III), 1881
thorium, 143
tin(IV), 2531
vanadium(III),(IV), 2635
zinc, 337,695,1881,2183
1-Selenaundecaborane(11), 17
Selenium
fluxional behaviour, 581
heteropolyborane anions, 17,187
penta- disulphur, 581
Selenium(IV) in heteropolymolybdates, 1131
Seleno complexes
cobalt(III), 1023
Selenocarbonyl complexes
iron(II), 589
Selenoether, selenoglycollate complexes, palladium(II), 2477
Selenophenoxides
lanthanides, lithium, 2307
Semicarbazones
molybdenum(II), 1719
silicon, 151
tellurium(IV), 633
Semiquinone complex
lithium, 2429
Serine hydroxamate complexes
iron(III), 747
SERS, maltol, oxo complexes, 1973
Silatranes, 2189
Silicon
chloride hydrocarbon nitric oxide complexes, 97
fluoride hydroxide complexes, 1773
heterocyclic compounds, 679
heteropolytungstate, 477
methyl semicarbazone thiosemicarbazone complexes, 151
Siloxides
niobium(V), 2217
osmium, 2399
rhenium(VII), 1841
Silver(I)
amine chromate diimine nitrate complexes, 601
cryptate Schiff base complex, 2229
gold halide phosphine high nuclearity clusters, review, 2317
macrocyclic polypyridyl Schiff base complexes, 2531
phosphoramidothioates, 557
pyridine mesogenic complexes, 1861
pyrimidine thioether complexes, 659
pyrrolidinone mercury complex, 1299
selenide, 629
thiolates, 2205
Silver(II)
dithiocarbamate pyridine complexes, 25
Silver(III)
hydroxide complex, 2753
porphyrins, 57
Silyl complexes
Co(I), Hf, 1625
lanthanides, 2307
Ti, Zr, 1625
Silylamide, tungsten(III), 2049
Silylmethyl, lithium, 2119
Sodium
carboxylic acid hydroxyquinoline phenoxide pyridine-N-oxide complexes, 1
chloride ether lanthanide complexes, 2307
crown ether copper(I) complexes, 2649
crown ether ruthenium(II) complexes, 137

Solvent cage effects on bond dissociation energies, 1499
Solvent extraction
cadmium chloride complexes, 715
lanthanide diketonate dipyridyl pyridine complexes, 155
Spectrophotometric titrations
palladium(II) azo dye complexes, 495
strontium murexide complexes, 1227
Spin label complexes
rhodium(II), 1453
Squarate complexes
Co(II), Fe(II), Ni(II), 2155
Square planar complexes, substitutions, trans- effect, 1203
Stereoselectivity, heteropolynuclear cluster reactions, review, 2271
Steric energy calculations, molybdenum(II) pyrrolidide complex, 235
Steroid hormone complexes
Co, Cr(0), 2297
Stibine complexes
iron(II), 1687
Stilbazole complexes
gold(I), silver(I), 1861
Stilbene, reaction with Tc(VII) complex, 1981
Strontium
cyclopentadienyl ether complexes, 725
murexide complexes, 1227
Styrene, reaction with Tc(VII) complex, 1981
Styrene complexes
ruthenium(II), 1239
Sulphate complexes
iron, 1371
iron(III), 291
molybdenum(IV), 1531
Sulphonium complexes
cobalt(III), 1023
Sulphoxide complexes
chromium(0), 673
chromium(II), 1453
iridium(III), 2143
rhodium(II), 1453
ruthenium(II), 29,1727,2627
ruthenium(II,III), 1453
ruthenium(III), 1727
Sulphur
formation from H_2S, 1197
reactions with alkyli-dyne bridging complexes, 789
Surface Enhanced Raman Spectra, see SERS

T

Taft substituent constants, chromium(0) arene carbonyl phosphine complexes, 1377
Cr(0), Mn(I), carbonyl phosphine phosphite complexes, 409
Tantalum carbonyls, review, 1639
Tantalum(-III)
carbonyl complexes, 1641,1645
Tantalum(-I)
carbonyls, 1642,1644
Tantalum(I)
allyl diene complex, 1819
carbonyl complexes, 1645,1649, 1651
Tantalum(III)
carbonyl complexes, 1654,1657
Tantalum(V)
alkyl aryl phenoxide cyclometallated complexes, 753
alkylamide alkylimide amine chloride diamine diimine complexes, 67
cyclopentadienyl hydride hydroxide oxo complexes, 2053
Technetium(V)
arsine dithiocarbamate halide nitride phosphine thioamidinate complexes, 285
chloride diamine diolate oxo complexes, 1981
Technetium(VII)
chloride diamine oxo complexes, 1981
Tellurium(IV)
chloride semicarbazone thiosemicarbazone complexes, 633
dithiocarbamate hydroxide perchlorate complexes, 1267
Temperature programmed decomposition, iron molybdenum catalysts, 2411
TEMPO, reaction with adenosyl radicals, 1469
TEMPO complexes
rhodium(II), 1453
Tenorite, 385
Terbium
diacetylpyridinedihydrazone nitrate water complexes, 439
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolylborate, 79
pyridine thiosemicarbazone complexes, 147
2,2′,:6′,2″-Terpyridine complexes,
nickel(II), 2531
platinum(II), 1953
silver, tin(IV), 2531
5,6,8,9-Tetracarba-nido-hexaborane(10), 669
2,7,8,11-[&7,8,9,10-]Tetracarba-nido-heptaborane(11), 669
Tetradecahydrotetradecaborate, 363
Tetrafluoroborates
copper(I), 2583
Tetrahedral - octahedral conversion, cobalt(II) complexes, 2135
Tetrahydrofuran complexes
barium, calcium, 725
chromium(0), 1619
lithium, 2515
magnesium, 1079
osmium, 1035
rhenium(I), 1363
rhenium(VI), 117
rhodium, 2345
ruthenium(II,III), 2597
samarium, 1693
strontium, 725
tin(IV), titanium(III), 2655
uranium(IV), 249

vanadium(II), 737
Tetrahydrothiophene complexes
Mo(II),Rh(II),Ru(II,III), 1453
Tetramethylazobenzene complexes
palladium(II), 647
Tetramethylbiimidazolate
complexes, copper(I), 37
Tetramethylethylenediamine
complexes,
lithium, 2001,2307
Mo(V),Nb(V), 67
rhodium(I), 1067
ruthenium, 2369
tantalum(V), 67
3,4,7,8-Tetramethyl-1,10-phenanthroline complexes,
platinum(II), 1953
technetium(V),(VII), 1981
Tetramethyltetraazadiphosphapentalenedithionesulphide
complexes, molybdenum(0), 489
Tetraphenylporphyrins
tin(IV), 2225
Tetrasulphide $[S_4^{2-}]$ complex
rhenium(V), 83
Tetrasulphurtetranitride, 629
Tetr(p-tolyl)porphyrins
tin(IV), 2225
TGA
benzoylhydrazoneferrocene
complexes, 393
binucleating complexes (Co, Cu, Fe), 2703
chromium(III)
phosphoramidothioates, 557
copper(II) cimetidine complex, 307
germanium hydride, 597
iron(III) carboxylate chloride oxo water complexes, 2175
lanthanide chloride hydrazone
water complexes, 1095
lead(II) phosphoramidothioates, 557
pyrimidine thioether complexes, 659
Thallium(III)
aminoacid methyl complexes, 2487
halide phosphine oxide pyridine-N-oxide complexes, 2561
polysalicylaldimine complexes, 1881
2-Thenoyltrifluoroacetonates
aluminium, 1389
copper(II), 303
lanthanides, 155
magnesium, 1389
Thio complexes
cobalt, 2411
cobalt(III), 1023
iron, 1197,2411
iron(II), 1911
molybdenum, 2263,2411
molybdenum(VI), 1371
nickel(II), 2405
osmium, 967
rhenium(V), 83
rhodium, 561
ruthenium, 1071,2263
tungsten(II,VI,VI), 2675
tungsten(V), 471
tungsten(VI), 2405
Thioacetamide complexes
ruthenium(II), 219
Thioamide complexes
ruthenium(II), 219,623
Thioamidinate complexes
technetium(V), 285
Thiocarbamates, antimony(III), bismuth(III), 483
Thiocarbonyl complexes
iron(II), 589
ruthenium(II), 2627
Thiocresolate complexes
copper(I), 49
Thiocyanate complexes
cobalt(II), 43,741,2575
copper(I), 2583
iron, 1371
iron(III), 2175
molybdenum(III), 2715
nickel(II), 43,2575
vanadium(II), 2615
Thiodiketonates, bismuth(III), 483
Thioether complexes
cadmium, 659
copper(I), 2649
copper(II), 307
gold(III), 659
mercury, 659
molybdenum(II), 1453
palladium(II), 659,1321,1329
platinum(II), 353,659,1321,1329
rhenium(III), 1207
Rh(II), Ru(II,III), 1453
silver, 659
Thiols, reactions with $[Fe(CN)_5NO]^{2-}$, 1197
Thiolactate complexes
indium(III), 5
Thiolates
Cd(II), Co(II), 2183
copper(I), 49,1121,2205
copper(II), 2183
iron, 1197,1371
iron(II), 1911
iron(III), 2183
lanthanides, lithium, 2307
manganese(II), 331
mercury, 2509
molybdenum(IV), 1531
nickel(II), 1397,2183
rhenium(I), 1401
rhodium(I), 2441
ruthenium(III), 1727
silver(I), 2205
Ti(IV), W(IV), 1531
zinc, 2183
Thiomolybdate, iron, 1371
Thiomorpholinedithiocarbamate
complex, gold(III), 1231
Thione complexes
Cd, Hg, Zn, 2503
Thionitrite complexes
osmium(III), 709
Thionylimide, 629
2-Thio-2,4-pentanedionate
bismuth(III), 483
2-Thiophenecarboxaldehyde semicarbazone, thiosemicarbazone
complexes, silicon, 151
Thiophenoxides
copper(I), 49
iron(II), 1911

molybdenum(II), 103,2615
osmium, 967
2-Thiopyrrole-1,2-dicarboximide complexes, ruthenium(II), 623
Thiosemicarbazone complexes
lanthanides, 147
silicon, 151
tellurium(IV), 633
Thiourea, reaction with silver(III), 2753
Thiourea complexes
ruthenium(II), 219
Thioxanthates
copper(I), 49,1121
Thorium
nitrte pyrrolidinone mercury complex, 1807
nitrate Schiff base complexes, 143
Thulium
diacetylpyridinedihydrazone nitrate water complexes, 439
Time differential perturbed angular correlation, hafnium complexes, 2165
Time resolved photoacoustic calorimetry, chromium(0) carbonyl substitutions, 1619
Timescales, structure determinations, 2549
Tin(II)
arsenido chloride phosphido complexes, 1317
phosphoramidothioates, 557
Tin(IV)
alkyl macrocyclic polypyridyl Schiff base complexes, 2531
chloride ether complex, 2655
formate hydroxide porphyrin complexes, 2225
molybdate, 585
organo compounds, book review, 1225
phenyl vanadium(-I) complex, 2039
Titanium(III)
chloride ether complex, 2655
Titanium(IV)
alkoxide amido carbonyl chloride cyanide hydride hydrosulphide hydroxide methyl phosphido silyl complexes, 1625
azide azobenzene carboxylate cyclopentadienyl dithiolate halide phenoxide phosphine thiolate complexes, 1531
chloride hydrocarbon nitric oxide complexes, 97
cyclopentadienyl fluoride antimony(V) complex, 1221
cyclopentadienyl methyl methylene complex, 770
4-Tolualdehyde Schiff base complexes, 143
Toluene, reaction with rhodium complex, 859
Toluene complex
chromium(0), 1377
3,4-Toluenediaminetetraacetate complexes, copper(II), 1187
Toluenedithiolate
titanium(IV), 1531
4-Toluidine complex
ruthenium(I), 417,1919
2-Tolyl, rhenium(VII), 1079
4-Tolylmethylidyne complexes
Fe,Re,Ru, 443
Topology, cluster compounds, 1813
Trans effect, substitutions in planar complexes, 1203
1,4,7-Triazacyclononane complexes
rhenium(V),(VII), 2537
Triazenide complexes
iridium(III), 417
osmium(III), 417
rhenium(I),(II), 195
rhodium(III), 417
ruthenium(I), 417,1919
ruthenium(II),(III), 417
Tributylamine complex
chromium(0), 1619
Tributylarsine complexes
platinum, 2321
Tributylphosphine, reaction with ruthenium(0) complex, 1939
Tributylphosphine complexes
chromium(0), 409,1619
chromium(I), 1965
nickel(II), 2009
rhodium, ruthenium, 2321
4,4′,4″-Tri-t-butylterpyridine complexes, ruthenium(II),(III), 575
Trichloride, PBr_4^+ salt, 1725
Trichloroacetate complex
iron(III), 2175
titanium(IV), 1531
Tricyclohexylphosphine complexes
chromium(I), 1965
platinum(0), 1349,2271
Triene, trienyl complexes
molybdenum, 2263
rhenium(I), 2255
ruthenium, 2263
Triethylamine complexes
ruthenium, 2369
Triethylphosphine complexes
chromium(I), 1965
molybdenum(III), 2715
nickel(II), 2009
palladium(0), 2271
platinum(II), 1953
tungsten(II), 2769
Triethylphosphite, reaction with ruthenium(0) complex, 1939
Triethylsiloxy complexes
osmium, 2399
Trifluoroacetate complexes
molybdenum(III), 2715
molybdenum(IV), 1531
ruthenium(II), 1239
Ti(IV), W(IV), 1531
Trifluoroacetyl complex
manganese(I), 1605
2,2,2-Trifluoroethylhydrazine complexes, Co(II), Ni(II), Zn, 1147
1,1,1-Trifluoro-2,4-hexanedionate, aluminium, 369
Trifluoromethanesulphonates
copper(I), 2583
Trifluoromethyl complex
manganese(I), 1605
1,1,1-Trifluoro-2,4-pentanedionates,

aluminium, 369
cobalt(II), 421
Trifluorotoluene complex
chromium(0), 1377
Trigonal complexes, ligand field theory, 1705
Trihexadecylphosphine complexes
nickel(II), 2009
Trilaurylammonium chloride, 715
Trimethylacetate
palladium(II), 615
2,4,6-Trimethylbenzoate
palladium(II), 615
Trimethylphosphate complex
chromium(II), 1453
Trimethylphosphine complexes
chromium(0), 409
cobalt, 2321
iridium(III), 1429
manganese(I), 409
molybdenum, 919
molybdenum(0), 1831
molybdenum(II), 1491
molybdenum(IV), 1767
molybdenum(V), 67
niobium(V), 2221
platinum(II), 1953
ruthenium, 1945
ruthenium(II), 1441
titanium(IV), 1531
tungsten(0), 1831
tungsten(II), 163
tungsten(IV), 1767
Trimethylphosphite complexes
chromium(0), 409
chromium(II), 1453
molybdenum(I),(II), 1491
ruthenium(I) 417,1919
Trimethylsiloxide
niobium(V), 2217
rhenium(VII), 1841
Trimethylsilyls
lanthanides, 2307
Trimethylsilylallyl, trimethylsilylethene, trimethylsilylmethyl complexes, tungsten(V), 1015
Trimethylsilylbenzene complexes
chromium(0), 1377
Trimethylsilylcyclopentadienyl complexes, uranium(IV), 1517
Trimethylsilylmethanethiolate
nickel(II), 1397
Trimethylsilylmethyl complexes
platinum(II), 1953
uranium(IV), 1517
Trinuclear clusters, review, 2297
Trioctylphosphine complexes
nickel(II), 2009
Triphenylarsine complexes
iron(II), 1687
osmium(0),(II), 709
ruthenium(II), 623
ruthenium(III), 29,1727
technetium(V), 285
Triphenylgermyl complexes
rhenium, 2209
Triphenyllead(IV), triphenyltin(IV) complexes, V(-I), 2039
Triphenylphosphine complexes
chromium(0), 1377
chromium(I), 1965
cobalt, 2369
copper(I), 37,1121
gallium, 1289
gold, 605,2321
gold(I), 651
indium, 1289
iridium(III), 1781
iron(II), 1687
molybdenum(II), 1491
molybdenum(III), 2715
osmium(II), 709,1781
osmium(III), 417,709
palladium(0), 2271
palladium(II), 1973
platinum(0), 2271
platinum(II), 353,1973
platinum(IV), 1855
rhenium, 2209
rhenium(I),(II), 195
rhenium(V), 117,171,329
rhodium, 2321
rhodium(I), 2441
rhodium(III), 2087
ruthenium(I), 417,1919
ruthenium(II), 1781,2627
ruthenium(II,III), 2597
ruthenium(III), 417,1727
technetium(V), 285
Triphenylphosphine oxide complexes,
ruthenium(II,III), 2597
thallium, 2561
Triphenylphosphite, reaction with ruthenium(0) complex, 1939
Triphenylphosphite complexes
chromium(0), 409
iron(II), 1687
manganese(I), 409
ruthenium(II), 219
Triphenylstibine complexes
iron(II), 1687
Triphosphinoamine complexes
Ir,Pd,Pt,Rh,Ru, 29
Tris(3,5-dimethylpyrazolyl)borate complexes
molybdenum(I), 235
molybdenum(II), 103,235,449
tungsten(II), 449
Tris[2-(diphenylphosphino)ethyl]-amine complexes Ir,Pd,Pt,Rh,Ru, 29
Tris(diphenylphosphino)methane complexes, Ir(I), Rh(I), 2035
Tris(3-sulphonatophenyl)phosphine complexes, rhodium(I), 2441
Tris(trifluoroethyl)phosphite complexes, chromium(0), 409
Tri(2-tolyl)phosphine complex
indium, 1289
Tri(4-tolyl)phosphine complexes
gold, silver, 2317
Tropolonate, molybdenum(VI), 1129
Tungsten
acyl carbonyl zirconium complexes, 2451
alkylidyne allyl complexes, 871
metallocyclic compounds, 1015
Tungsten(-I)
carbonyl formyl complexes, 1609
Tungsten(0)
acetonitrile amine carbonyl complexes, 1605
carbonyl ethene isocyanide phosphine complexes, 1831

Tungsten(II)
acetonitrile carbonyl iodide complex, 245
acyl carbonyl chloride dithiocaramate methyl phosphine complexes, 163
alkoxide chloride nitrosyl pyrazolylborate complexes, 449
alkylidyne carbonyl cyclopentadienyl cobalt(I) complexes, 2297
alkyne carbonyl iodide nitrile phosphine complexes, 2769
carbonyl dialkyne diimine iodide complexes, 63
Tungsten(II,VI,VI)
thio complex, 2675
Tungsten(III)
alkoxide alkyne pyridine complexes, 903
alkyl silylamide complex, 2049
alkylamide carboxylate cyclopentadienyl complexes, 1991
cyclopentadienyl hydride methyl methylidyne compounds, 951
Tungsten(IV)
alkoxide alkyl cyclopentadienyl halide hydride hydroxide oxo oxomethylene complexes, 2053
azobenzene carboxylate catecholate cyclopentadienyl halide thiolate complexes, 1531
chloride isocyanide oxo phosphine complexes, 1767
cyanide complex, 2193
Tungsten(V)
alkene alkoxide alkyl allyl compounds, 1015
alkylimido amine chloride complex, 297
arylimido fluoride complexes, 2015
chloride phosphine complexes, 1767
cyanide disulphide dithiolate oxo thio binuclear complexes, 471
Tungsten(VI)
alkylimide amine arylimide chloride dipyridyl oxo complexes, 117
heteropolyanions, 477
hydroxo hydroxycarboxylate water complex, 2709
oxychlorides, 579
ternary oxides, 2393
thio nickel(II) complex, 2405
Tyrosine ethyl ester Schiff base complexes, copper(II), zinc, 695

U

Uranium(III)
chloride and chloro complex, 167
Uranium(IV)
alkenyl alkyl alkynyl cyclopentadienyl iodide complexes, 1517
Uranium(VI)
cyclopentadienyl ether halide complexes, 249
maltol oxo complex, 1973
oxide, 243

V

Valinate complexes
cobalt(III), 1153
Vanadium
carbonyls, review, 1639
gaseous organo- and other ions, 1583
Vanadium(-III) carbonyl complexes, 1641,1645
Vanadium(-II) carbonyl complexes, 1644
Vanadium(-I)
carbonyl complexes, 1641
carbonyl lead(IV) tin(IV) complexes, 2039
Vanadium(0)
carbon disulphide diphosphine complex, 2615
carbonyl complexes, 1640,1647, 1652,1658
Vanadium(I) carbonyl complexes, 1641,1643,1657
Vanadium(II)
bromide ether binuclear complexes, 737
carbonyl complexes, 1651,1657
cyanide diphosphine isocyanide nitrile thiocyanate complexes, 2615
Vanadium(III)
carbonyl complexes, 1642,1647, 1649,1652,1654,1657
chloride, 2039
oxo Schiff base water complexes, 2635
phosphoramidothioates, 557
Vanadium(IV)
alanine oxo complexes, 1245
oxo Schiff base complexes, 2635
Vanadium(V)
ternary oxides, 2393
Vinyl complexes
iridium(III), 1429
uranium(IV), 1517
Vinylcarbene complexes, 837,881
Vinyl-1,2-ethanediolate technetium(V), 1981
Vinylidene complex, photolysis, 837
1-Vinylsilatrane, 2189
Vitamin B_{12} coenzyme, 1469

W

Walsh diagrams, tungsten alkylidyne allyl complexes, 871
Water, solvent effects, 1227,2135
Water complexes
chromim(III), 2703
cobalt(II), 2149,2575,2703
copper(II), 229,1745,2575,2703
iron(III), 2175
lanthanides, 439,1095
manganese(II), 2149
molybdenum(VI), 2709
neodynium, 2495
nickel(II), 2149,2575,2703

tungsten(VI), 2709
zinc, 2575
Wilkinson, G., bibliography, 2103

X

XANES spectra, iron carbonyl thio molybdenum cyclopentadienyl complexes, 2411
XPE spectra
osmium rhenium carbonyl hydride complex, 2421
rhodium(I) partially oxidised dithiolate halide complexes, 379
ruthenium(III) chloride Schiff base complexes, 1063
tungsten(V) cyanide disulphide dithiolate oxo thio binuclear complexes, 471
X-ray crystal structures
aluminium alkyl alkylamide, 2727
aluminium alkyl phosphine triphosphine complexes, 1289
aluminium alkylarsenido ethyl compound, 1901
1-aza-3-phosphaallene, 2213
cadmium iodide thione complex, 2503
cerium(III) diketonate pyrazolylborate, 79
chromium(III) peptide complex, 523
cobalt(II) amine azole chloride methanol water complex, 2575
cobalt(II) chloride complex, 1785
cobalt(III) alkylidyne cyclopentadienyl sulphonium complex, 1023
cobalt(III) cyclopentadienyl phosphonate platinum(IV) complex, 2095
copper(I) amine azole chloride complexes, 2583
copper(I) diphosphine thiolate complexes, 49
copper(I) thiolate thioxanthate, 1121
copper(II) alcohol alkoxide azole complex, 323
copper(II) azole nitrate thioether complex, 2591
copper(II) bromide hydrazone pyridine complex, 1383
copper(II) catecholate pyridine complex, 609
copper(II) cimetidine complexes, 307
copper(II) mepirizole oxalate water complex, 229
copper(II) thenoyltrifluoro-acetonate, 303
gallium alkyl phosphido compound, 1901
gallium alkyl phosphine complex, 1289
gold(I) cyanide phosphine rhodium(III) complex, 651
indium(III) alkyl phosphine complex, 1289
indium alkylstibide chloride, 77
indium hydroxide methyl phosphinate complex, 2091
iridium(III) alkyl phosphine complex, 2171
iridium(III) aryl halide phosphine metallated complexes, 87
iridium(III) chloride sulphoxide complex, 2143
iridium(III) diphosphine hydride complex, 187
iron(II) cyclopentadienyl platinum(II) complex, 1925
iron(II) cyclopentadienyl rhodium(I) complex, 2441
iron(III) carbonyl cyclopentadienyl vinylcarbyne complexes, 881
isopolymolybdate, 2605
lead(IV) phenyl vanadium complex, 2039
lithium alkylamide ether zirconium complex, 2515
lithium diamine diolate oxo manganese(III) complex, 2001
lithium molybdenum(II) alkylamide, 399
manganese(I) allyl carbonyl phosphido phosphite molybdenum(II) complexes, 987
manganese(III) methyl oxo lithium complex, 2001
mercury chloride thiolate complex, 2509
mercury nitrate pyrrolidinone silver complex, 1299
mercury pyrrolidinone thorium nitrate complex, 1807
molybdenum alkoxide alkyne cyclometallated imine nitrile complexes, 919
molybdenum alkylamido amine halide nitrosyl pyrazolyl-borate complexes, 1931
molybdenum carbonyl cyclopentadienyl dibismuth complex, 2239
molybdenum(0) carbonyl ethene isocyanide phosphine complexes, 1831
molybdenum(I) carbonyl cyclopentadienyl diphosphine complex, 1793
molybdenum(II) acetate chloride phosphinopyridine complex, 2201
molybdenum(II) acetate nitrosyl phenylamide pyrazolylborate complex, 103
molybdenum(II) allyl carbonyl cyclopentadienyl phosphido manganese(I) complexes, 987
molybdenum(II) arene carbonyl chloride complex, 2027
molybdenum(II) chloride diphosphine complexes, 463
molybdenum(II) chloride diphosphine nitrile thiophenoxide complexes, 2615
molybdenum(V) amidophenoxide diazenide methoxide oxo complex, 401

molybdenum(V) chloride complex, 2027
molybdenum(VI) diphenylcarbazone oxo complex, 401
molybdenum(VI) oxo tropolonate complex, 1129
neodymium proline water complex, 2495
nickel(II) chloride hydrazine complex, 1147
nickel(II) phenoxide pyridine Schiff base complex, 2641
nickel(II) thiolate, 1397
niobium(I) diene diphosphine hydride complex, 1819
niobium(V) chloride oxo phosphine complex, 2221
osmium acyl alkene carbonyl hydride complex, 1891
osmium alkyne carbonyl chloride mercury complex, 2159
osmium carbonyl chloride phosphide complex, 1759
osmium carbonyl isocyanide ketene complex, 791
osmium(II) benzotriazole carbonyl hydride phosphine complex, 1781
osmium(VI) aryl oxo complex, 1079
palladium(II) azobenzene sulphur - nitrogen complex, 647
palladium(II) carboxylates, 615
palladium(IV) bromide complex, 2611
peroxodiphosphates, 1305
platinum(0) alkene phosphine complex, 1349
platinum(II) chloride phosphido phosphine complex, 505
platinum(II) creatinine complex, 1273
platinum(II) diene diphosphine disulphurdinitride iron(II) complexes, 1925
platinum(II) porphyrin, 57
platinum(IV) hexasulphide complex, 1801
platinum(IV) methyl phosphonate cobalt(III) complexes, 2095
rhenium(I) amine carbonyl chloride hydride complex, 2543
rhenium(I) carbonyl chloride tetrahydrofuran complex, 1363
rhenium(I) carbonyl mercaptopyridine complex, 1401
rhenium(III) alkoxide chloride complexes, 1363
rhenium(III) chloride thioether complex, 1207
rhenium(III) iodide complex, 1667
rhenium(V) acetonitrile ammine chloride diazenide dimethylformamide hydrazide phosphine pyridine complexes, 171
rhenium(V) amine arylimide chloride complexes, 117
rhenium(V) polysulphide thio complex, 83
rhenium(VI) aryl oxo complex, 1079
rhenium(VII) alkylimido chloro aryl complexes, 1079
rhodium alkenyl arene cyclopentadienyl complex, 859
rhodium carbonyl diene hydride phosphine thio trinuclear complexes, 561
rhodium(I) carbonyl phosphine thiolate heteronuclear complexes, 2441
rhodium(III) chloride cyanide phosphine gold(I) complex, 651
rhodium(III) chloride hydrazine phosphine complex, 2087
ruthenium alkyne carbonyl thio cluster complex, 1071
ruthenium allylazaallyl carbonyl complexes, 2521
ruthenium(I) amine carbonyl triazenide complex, 1919
ruthenium(I,III) alkene alkenyl alkyl carbonyl cyclopentadienyl compound, 837
ruthenium(II) chloride cymene oxopyridinate complexes, 1311
samarium alkoxide azole cyclopentadienyl ether iodide isocyanide oxo complexes, 1693
selenium heteropolyborane anions, 17,187
silver cryptate Schiff base complex, 2229
silver pyrrolidinone mercury complex, 1299
tantalum(V) alkyl aryl phenoxide cyclometallated complexes, 753
tellurium(IV) dithiocarbamate perchlorate complex, 1267
titanium(III),tin(IV) chloride ether complexes, 2655
tungsten(II) acetonitrile carbonyl iodide complex, 245
tungsten(III) alkyl silylamide, 2049
tungsten(III) alkylamide carboxylate cyclopentadienyl complexes, 1991
tungsten(V) alkylamine alkylimido chloride complex, 297
tungsten(V) arylimido fluoride complexes, 2015
tungsten(VI) alkylimide arylimide chloride dipyridyl complexes, 117
uranium(IV) cyclopentadienyl vinyl complex, 1517
vanadium(-I) carbonyl lead complex, 2039
vanadium(II) bromide ether binuclear complexes, 737
vanadium(II) diphosphine isocyanide nitrile complexes, 2615
ytterbium diketonate pyrazolylborate, 79
zirconium alkylamide lithium complexes, 2515
zirconium chloride

cyclopentadienyl diazenyl methyl phosphido complexes, 2083
zirconium cyclopentadienyl diphosphine rhodium(I) complex, 2441
X-ray diffraction
iron(III) oxides, 385
nickel(II) phenanthroline complex hydrates, 1175
platinum(IV) hexasulphide complex, 1801
tin(IV) molybdate, 585
Xylyls
osmium(VI), 1079
rhenium(V),(VI),(VII), 1079
2,6-Xylylimido complexes
rhenium(VII), 1841
2,6-Xylylmethylidyne complexes
iron, ruthenium, 443

Y

Ytterbium
diacetylpyridinedihydrazone nitrate water complexes, 439
diketonate dipyridyl pyridine complexes, 155
diketonate pyrazolyborate, 79
Yttrium
diketonate pyrazolyborate, 79

Z

Zinc
acetate bromide diketonate pyridine complexes, 43
amine water complex, 2575
azole pyridine Schiff base complexes, 695
azole thioether water complex, 2591
benzoylhydrazone iron(II) complexes, 393
biuret halide complexes, 1869
chloride complexes, 2473
dithiocarboxylate mesogenic complexes, 1861
halide complexes, 2129,2473
halide hydrazone complexes, 1147
halide thione complexes, 2503
hydroxynaphthoate picolinate complexes, 1335
nitrite complexes, 213
peptide complexes, 1089
picolinate complexes, 689
polysalicylaldimine complexes, 1881
pyridine Schiff base thiolate complex, 2183
Zirconium(IV)
alkoxide amido carbonyl chloride cyanide hydride hydrosulphide hydroxide methyl phosphido silyl complexes, 1625
alkyl chloride cyclopentadienyl complexes, 2375
alkylamide lithium complexes, 2515
allyl cyclopentadienyl diene oxycarbene heteronuclear complexes, 2451
carbonyl cyclopentadienyl hydride ruthenium complex, 759
chloride cyclopentadienyl diazenyl methyl phosphido complexes, 2083
cyclopentadienyl diphosphine rhodium(I) complex, 2441
perchlorate, 345
Zirconoxy complexes
ruthenium, 759

FREE Sample Copies Available On Request

25th Anniversary Year

EUROPEAN POLYMER JOURNAL

Founder Editor: **M STACEY, FRS** *University of Birmingham, UK*
Joint Editors-in-Chief: **J C BEVINGTON,** *Department of Chemistry, The University, Lancaster, UK* and **J V DAWKINS,** *Department of Chemistry, The University of Technology, Loughborough, Leicestershire, UK*

This journal acts as a medium for the exchange of research in the area of macromolecular substances, both synthetic and natural, and publishes results bearing on the physics or chemistry of polymers. Papers may fall either into the category of original papers dealing with substances of high molecular weight, or that of review articles covering the literature on topical aspects of polymer science and technology. The languages of the journal are English, French, German and Italian; for all papers an abstract is provided, and in the case of the latter three languages the abstract also appears in English translation.

A Selection of Papers

AKIRA MATSUMOTO, SYUICHI YONEZAWA & MASAYOSHI OIWA (Japan), Gelation in the copolymerization of styrene with oligoglycol dimethacrylates.
M NASIR & G K TEH (Malaysia), The effects of various types of crosslinks on the physical properties of natural rubber.
V VLACHY (Yugoslavia), Enthalpies of dilution of strong polyelectrolytes. An account for noncoulombic interactions.
H YOUNES & D COHN (Israel), Phase separation in poly(ethylene glycol)/poly(lactic acid) blends.
I A KATIME & J R QUINTANA (Spain), Stereoassociation of poly(methyl methacrylate): a study by coupling size exclusion chromatography with light scattering.
D R MILLER & N A PEPPAS (USA), Diffusional effects during albumin adsorption on highly swollen poly(vinyl alcohol) hydrogels.
D J WILSON & G RIESS (France), Photochemical stabilization of block copolymer micelles.
T A WIELEMA & J B F N ENGBERTS (Netherlands), An ESR spin label study of the dynamics of a zwitterionic polymer, a polyelectrolyte, poly(methacrylic acid) and poly(acrylic acid) in aqueous solution.
S AKHTAR (India), Morphology and properties of blends of high-density polyethylene with natural rubber.

Indexed/Abstracted in: *Current Contents, Chemical Abstracts, Current Technology Index, Polymer Science and Technology Database (RSC), RAPRA Database, Advanced Materials and Processes Incorporating Metal Progress*

Subscription Information

1989: Volume 25 (12 issues)
Annual subscription (1989) **DM 1350.00**
Two-year rate (1989/90) **DM 2565.00**
ISSN: 0014-3057

Advertising rate card available on request. Back issues and current subscriptions are also available in microform.
The German Mark (DM) prices shown include postage and insurance, and apply in Europe, Africa, Asia/Australasia (with the exception of Japan). For the rest of the world including Japan apply to the nearest Pergamon office. Prices and proposed publication dates are subject to change without prior notice.

Pergamon Press plc
Headington Hill Hall
Oxford, OX3 0BW, UK

Pergamon Press Inc
Fairview Park, Elmsford
New York, 10523 USA

5B/03/10/88

POLYHEDRON

Aims and Scope

Polyhedron will publish original, fundamental, experimental and theoretical work of the highest quality in the major areas of inorganic and organometallic chemistry. These areas include synthetic and reaction chemistry, kinetics and mechanisms of reaction, bioinorganic chemistry, photochemistry, and the use of metal and organometallic compounds in stoichiometric and catalytic synthesis of organic compounds.

Instructions to Contributors

1. CONTRIBUTIONS

Contributions will be rigorously refereed. They are to comprise full Papers and Communications to the Editor. Publication will be in English. Papers will be published within 4-5 months of acceptance and Communications within 2-3 months of acceptance. In addition, specially commissioned review articles (**Polyhedron Reports**) and collections of original research papers (**Polyhedron Symposia-in-Print**) of appropriate timeliness will be published. Every effort will be made to expedite publication and thus minimize the time delay between submission of an acceptable manuscript and its appearance in print.

2. PAPERS

These are to be substantial completed pieces of original research in inorganic and organometallic chemistry which have special significance, general interest and which, in addition, are presented clearly and concisely. An abstract is to be provided. Polyhedron papers will be printed by conventional typesetting. There has been an increasing tendency for important advances in inorganic and organometallic chemistry to be reported in the form of preliminary communications, in which space restrictions do not allow experimental detail to be included; frequently these experimental details are published years later, if at all. Polyhedron now offers a medium for a rapid publication without rigid space limitations or any page charge.

3. COMMUNICATIONS

These are to be contributions of a preliminary nature and to be of length not normally exceeding 1000 words. They must contain novel and original findings which are of general interest and which will be of use to other workers in their field. This section will also provide a forum for advancing or exchanging significant new interpretations of published data for which normal papers would be inappropriate.

4. POLYHEDRON REPORTS

These will be specially commissioned critical reports reviewing research results of topical importance. Such articles will be commissioned by the Editorial Board from recognized authorities in the appropriate fields.

5. POLYHEDRON SYMPOSIA-IN-PRINT

These will comprise collections of original research papers (including experimental sections) covering timely areas of inorganic and organometallic chemistry. Topics for forthcoming Symposia are announced from time to time. For each, a Symposium Editor will invite authors active in the field to submit papers. These will be rapidly reviewed and processed for publication by the Symposium Editor under the usual refereeing system.

Authors not already invited who have recent, significant results in the area announced may also submit contributions within a 6-month deadline for Editorial consideration and possible inclusion.

6. PRESENTATION OF MANUSCRIPTS FOR TYPESETTING

Authors are requested to submit two copies of each manuscript. After the title of the paper and the authors' names prefixed by initials the following should be given: (i) establishment where the work was done; (ii) a space for insertion of the date the paper was received; (iii) an abstract of the paper. **The author to whom correspondence should be addressed by readers of the journal should be indicated by an asterisk.** The presentation of tables, graphs and formulae should be kept to an absolute minimum and where possible the results from a series of investigations should be in table form or as a graph. The same data should not be presented in both tables and figures or given in the Discussion as well as the Experimental section.

7. X-RAY CRYSTALLOGRAPHIC WORK

Manuscripts reporting X-ray crystallographic work must be accompanied by a list of refined coordinates for deposition at the Cambridge Crystallographic Data Centre (see detailed Announcement to Authors on p. ii of this issue).

8. TABLES

Tables should be submitted according to the following guidelines: (i) maximum page size should be 26.5 × 42 cm; (ii) large or long tables should be typed on continuing sheets; (iii) table headings should be typed on separate sheets but identifying numbers should be placed on the upper right-hand corner of each sheet of tabular material; (iv) **original typed tables are required.** It will be the author's responsibility to prepare his tables in accordance with this procedure as no facilities exist at the Editorial Office for retyping.

9. NOMENCLATURE

All nomenclature should be consistent, clear and unambiguous, and should conform as closely as possible to the rules established by IUPAC. The following IUPAC publications (both available from Pergamon) should be consulted: "*Nomenclature of Inorganic Chemistry*, 1970 edition" and "*Nomenclature of Organic Chemistry*, 1979 edition".

10. FIGURES, FORMULAE, SCHEMES, ETC.

These must all be carefully prepared line drawings on plain white drawing paper, suitable for direct photographic reproduction. Originals are preferable, but high-quality photographs are acceptable. Photocopies are not acceptable. Each illustration should be clearly marked on the back with the names of the authors. Where necessary, the top of the figure should be indicated. Figure captions should be typed on a separate sheet.

11. REFERENCES

Text references to the literature should be by superscript numbers. The references themselves should be collected in order at the end of the manuscript. Journal abbreviations should normally conform to the "Chemical Abstracts Service Source Index".

12. MAILING OF MANUSCRIPTS

Papers and Communications

All manuscripts should be sent (in duplicate) to:

For U.S.A. and Canada

Professor M. H. Chisholm, Department of Chemistry, Indiana University, Bloomington, IN 47405, U.S.A.

For Rest of the World

Professor D. C. Bradley, FRS, Department of Chemistry, Queen Mary College, University of London, Mile End Road, London E1 4NS, U.K.

Polyhedron Symposia-in-Print

To the Symposium Editor as announced for the particular symposium.

Polyhedron Reports

Professor M. H. Chisholm (for North, Central and South America), Department of Chemistry Indiana University, Bloomington, IN 47405, U.S.A.

Dr. E. C. Constable (for the Rest of the World), University Chemical Laboratory, Lensfield Road, Cambridge CB2 1EW, U.K.

13. REFEREEING OF PAPERS

All papers submitted are refereed by experts who advise the Executive Editor on the matter of acceptance in accordance with the high standards required and on the understanding that the subject matter has not been previously published and that the authors accept full responsibility for the factual accuracy of the data presented and have obtained any necessary authority to publish. The referees' names are not disclosed but their views are forwarded by the Executive Editor to the authors for consideration. All papers accepted are subject to editorial amendment if necessary.

14. PROOFS AND REPRINTS

Proofs together with reprint order forms are posted by air, direct from the printers to the chief author (indicated on the paper when submitted) for his approval and correction. These carefully corrected proofs should be returned by airmail (except for Europe and U.K.) without delay to **Journals Production Department, Pergamon Press plc** for inclusion in the next possible issue.

Authors are kindly requested when proof reading to correct only those errors introduced by the printer. Modification to the text at proof stage automatically causes a delay in publication and incurs additional costs which may have to be charged to the authors or their institutions. Authors should indicate the number of additional paid reprints required when returning their proofs, otherwise only 25 free reprints will be sent.

15. BOOK REVIEWS AND CONFERENCE ANNOUNCEMENTS

Appropriate books for review and full details of forthcoming meetings should be sent to the Executive Editor for possible inclusion.

Printed in Great Britain at Aberdeen University Press

POLYHEDRON
VOLUME 8, NUMBER 7

Continued from outside back cover

K. Madhukar, B. Madhu, **B. A. Sastry**, G. Ponticelli and M. Massacesi — 935 — Spectroscopic studies on Cu(3-aminoisoxazole)$_n$X$_2$ • mH$_2$O complexes

H. E. Toma and M. S. Takasugi — 941 — Preferential solvation effects in the substitution kinetics of the (2,6 dimethyl pyrazine)pentacyanoferrate(II) complex

R. Lozano, J. Román and F. de Jesus — 947 — Comparative study of tungsten(V) complexes with 8-quinolinol and 2-methyl-8-quinolinol

D. S. Pandey and **U. C. Agarwala** — 953 — Nitrosothiourea: its reactivity with metal ions and their complexes

D. M. Hoffman and D. A. Wierda — 959 — Neutral and cationic oxo-methyl complexes of rhenium(V); X-ray structure of $ReOMe_2Cl(PMe_3)_2$

M. C. Kerins, **N. J. Fitzpatrick** and M. T. Nguyen — 969 — Structures and energies of the [BH$_2$P] isomers and interaction of borylphosphinidene with metal complexes

M. T. H. Tarafder, M. B. H. Howlader, B. Nath, R. Khan and A. A. M. Anowarul Islam — 977 — Peroxo complexes of Zr^{IV}, Th^{IV}, Mo^{VI} and U^{VI} ions containing some bidentate organic ligands

L. Ciavatta, R. Porto and E. Vasca — 983 — The hydrolysis of the praseodymium(III) ion, Pr^{3+}, in 3 m (Li)ClO$_4$ at 60°C

I. M. Vezzosi, A. F. Zanoli, E. Forsellini, **F. Benetollo** and G. Bombieri — 991 — Copper(II) halide complexes of 4-aminobenzophenone; synthesis and X-ray crystal structure of the copper(II) polymeric complexes: (4-aminobenzophenone)dichlorocopper(II) • 0.5S (S = ethanol or methanol)

Communication

M. B. Hursthouse, M. Motevalli P. F. Kelly and **J. D. Woollins** — 997 — The preparation and X-ray structure of $PtCl_2(S_4N_4)(PMe_2Ph)$, an octahedral complex containing a meridional tridentate $S_4N_4^{2-}$ ligand

999 — Corrigenda

INDEXED/ABSTRACTED IN: *Current Contents, INSPEC, BIOSIS Database and Chem. Abstr.*

ISSN 0277-5387
PLYHDE 8 (7) 851–1000 (1989)

Published by
PERGAMON PRESS
Oxford • New York • Beijing • Frankfurt • São Paulo • Sydney • Tokyo • Toronto